

CHSUN




2026 | PRODUCT QUOTATION MANUAL

CHISUN VALVE CO.,LTD.

QB Series (QBZ73X-10C、QBZ73X-10G、QBZ73X-10P、QBZ73X-10RL)

Dimension



Material List

Material	QBZ73X-10C	QBZ73X-10G
Valve Body Material	WCB	GGG40
Gate Material	SS304	SS304
Stem Material	2Cr13	2Cr13
Yoke Material	Q235	Q235

Material	QBZ73X-10P	QBZ73X-10RL
Valve Body Material	CF8	CF3M
Gate Material	SS304	SS316L
Stem Material	SS304	SS304
Yoke Material	SS304	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	D0	N-Th	d	H1	Plate Thickness	Measured Pressure	QBZ73X-10C	QBZ73X-10G	QBZ73X-10P	QBZ73X-10RL
50	48	165	125	99	180	4-M16	Φ18	260	6	1.6 (MPa)	¥ 220 (CNY)	¥ 190 (CNY)	¥ 310 (CNY)	¥ 400 (CNY)
65	48	185	145	118	200	4-M16	Φ18	292	6	1.6 (MPa)	¥ 240 (CNY)	¥ 210 (CNY)	¥ 360 (CNY)	¥ 460 (CNY)
80	51	200	160	132	200	8-M16	Φ18	320	6	1.6 (MPa)	¥ 280 (CNY)	¥ 240 (CNY)	¥ 430 (CNY)	¥ 540 (CNY)
100	51	220	180	156	240	8-M16	Φ18	358	6	1.6 (MPa)	¥ 320 (CNY)	¥ 280 (CNY)	¥ 510 (CNY)	¥ 640 (CNY)
125	57	250	210	184	260	8-M16	Φ18	395	6	1.4 (MPa)	¥ 380 (CNY)	¥ 330 (CNY)	¥ 620 (CNY)	¥ 770 (CNY)
150	57	285	240	211	280	8-M20	Φ23	450	8	1.4 (MPa)	¥ 500 (CNY)	¥ 450 (CNY)	¥ 800 (CNY)	¥ 940 (CNY)
200	70	340	295	266	300	8-M20	Φ23	532	8	1.3 (MPa)	¥ 690 (CNY)	¥ 610 (CNY)	¥ 1140 (CNY)	¥ 1480 (CNY)
250	70	395	350	319	320	12-M20	Φ23	670	8	1.1 (MPa)	¥ 950 (CNY)	¥ 850 (CNY)	¥ 1600 (CNY)	¥ 1850 (CNY)
300	76	445	400	370	350	12-M20	Φ23	758	10	1.0 (MPa)	¥ 1350 (CNY)	¥ 1200 (CNY)	¥ 2200 (CNY)	¥ 2500 (CNY)
350	76	505	460	429	400	16-M20	Φ23	857	10	0.8 (MPa)	¥ 1800 (CNY)	¥ 1550 (CNY)	¥ 2900 (CNY)	¥ 3300 (CNY)
400	89	565	515	480	450	16-M24	Φ27	946	12	0.6 (MPa)	¥ 2400 (CNY)	¥ 2100 (CNY)	¥ 3850 (CNY)	¥ 4300 (CNY)
450	89	615	565	530	500	20-M24	Φ27	1023	12	0.6 (MPa)				
500	114	670	620	582	500	20-M24	Φ27	Gear	14	0.5 (MPa)				
600	114	780	725	682	-	20-M27	Φ30	Gear	16	0.5 (MPa)				
700	127	895	840	794	-	24-M27	Φ30	Gear	16	0.4 (MPa)				
800	127	1015	950	901	-	24-M30	Φ33	Gear	20	0.35 (MPa)				
900	127	1115	1050	1001	-	28-M30	Φ33	Gear	20	0.3 (MPa)				
1000	149	1230	1160	1112	-	28-M33	Φ36	Gear	22	0.3 (MPa)				

QB Series (QBZ673X-10C、QBZ673X-10G、QBZ673X-10P)

Dimension



Material List

Material	QBZ673X-10C	QBZ673X-10G
Valve Body Material	WCB	GGG40
Gate Material	SS304	SS304
Stem Material	2Cr13	2Cr13
Yoke Material	Q235	Q235

Material	QBZ673X-10P
Valve Body Material	CF8
Gate Material	SS304
Stem Material	SS304
Yoke Material	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	D0	N-Th	d	H1	Plate Thickness	Measured Pressure	QBZ673X-10C	QBZ673X-10G	QBZ673X-10P
50	48	165	125	99	100	4-M16	Φ18	417	6	1.6 (MPa)	¥ 360 (CNY)	¥ 320 (CNY)	¥ 440 (CNY)
65	48	185	145	118	100	4-M16	Φ18	460	6	1.6 (MPa)	¥ 380 (CNY)	¥ 350 (CNY)	¥ 480 (CNY)
80	51	200	160	132	100	8-M16	Φ18	510	6	1.6 (MPa)	¥ 410 (CNY)	¥ 370 (CNY)	¥ 530 (CNY)
100	51	220	180	156	100	8-M16	Φ18	600	6	1.6 (MPa)	¥ 460 (CNY)	¥ 410 (CNY)	¥ 610 (CNY)
125	57	250	210	184	100	8-M16	Φ18	628	6	1.4 (MPa)	¥ 520 (CNY)	¥ 470 (CNY)	¥ 710 (CNY)
150	57	285	240	211	125	8-M20	Φ23	780	8	1.4 (MPa)	¥ 730 (CNY)	¥ 680 (CNY)	¥ 970 (CNY)
200	70	340	295	266	125	8-M20	Φ23	880	8	1.3 (MPa)	¥ 930 (CNY)	¥ 850 (CNY)	¥ 1300 (CNY)
250	70	395	350	319	160	12-M20	Φ23	1088	8	1.1 (MPa)	¥ 1450 (CNY)	¥ 1350 (CNY)	¥ 2000 (CNY)
300	76	445	400	370	160	12-M20	Φ23	1232	10	1.0 (MPa)	¥ 1850 (CNY)	¥ 1700 (CNY)	¥ 2550 (CNY)
350	76	505	460	429	200	16-M20	Φ23	1390	10	0.8 (MPa)	¥ 2550 (CNY)	¥ 2350 (CNY)	¥ 3500 (CNY)
400	89	565	515	480	200	16-M24	Φ27	1528	12	0.6 (MPa)	¥ 3400 (CNY)	¥ 3100 (CNY)	¥ 4700 (CNY)
450	89	615	565	530	200	20-M24	Φ27	1659	12	0.6 (MPa)	¥ 3900 (CNY)	¥ 3700 (CNY)	¥ 5400 (CNY)
500	114	670	620	582	250	20-M24	Φ27	1846	14	0.5 (MPa)	¥ 5600 (CNY)	¥ 5300 (CNY)	¥ 7900 (CNY)
600	114	780	725	682	250	20-M27	Φ30	2158	16	0.5 (MPa)			
700	127	895	840	794	320	24-M27	Φ30	2478	16	0.4 (MPa)			
800	127	1015	950	901	320	24-M30	Φ33	2863	20	0.35 (MPa)			
900	127	1115	1050	1001	400	28-M30	Φ33	3047	20	0.3 (MPa)			
1000	149	1230	1160	1112	400	28-M33	Φ36	3330	22	0.3 (MPa)			

QB Series (QBZ573X-10C、QBZ573X-10G、QBZ573X-10P、QBZ573X-10RL)

Dimension



Material List

Material	QBZ573X-10C	QBZ573X-10G
Valve Body Material	WCB	GGG40
Gate Material	SS304	SS304
Stem Material	2Cr13	2Cr13
Yoke Material	Q235	Q235

Material	QBZ573X-10P	QBZ573X-10RL
Valve Body Material	CF8	CF3M
Gate Material	SS304	SS316L
Stem Material	SS304	SS304
Yoke Material	SS304	SS304

unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	D0	N-Th	d	H1	Plate Thickness	Measured Pressure	QBZ573X-10C	QBZ573X-10G	QBZ573X-10P	QBZ573X-10RL
50	48	165	125	99	F10	4-M16	Φ19	342	6	1.6 (MPa)	¥ 730 (CNY)	¥ 700 (CNY)	¥ 830 (CNY)	¥ 900 (CNY)
65	48	185	145	118	F10	4-M16	Φ19	370	6	1.6 (MPa)	¥ 750 (CNY)	¥ 720 (CNY)	¥ 870 (CNY)	¥ 950 (CNY)
80	51	200	160	132	F10	8-M16	Φ19	405	6	1.6 (MPa)	¥ 780 (CNY)	¥ 740 (CNY)	¥ 910 (CNY)	¥ 1020 (CNY)
100	51	220	180	156	F10	8-M16	Φ19	456	6	1.6 (MPa)	¥ 820 (CNY)	¥ 780 (CNY)	¥ 990 (CNY)	¥ 1130 (CNY)
125	57	250	210	184	F10	8-M16	Φ19	505	6	1.4 (MPa)	¥ 880 (CNY)	¥ 830 (CNY)	¥ 1090 (CNY)	¥ 1270 (CNY)
150	57	285	240	211	F10	8-M20	Φ23	550	8	1.4 (MPa)	¥ 980 (CNY)	¥ 920 (CNY)	¥ 1260 (CNY)	¥ 1490 (CNY)
200	70	340	295	266	F10	8-M20	Φ23	650	8	1.3 (MPa)	¥ 1160 (CNY)	¥ 1080 (CNY)	¥ 1620 (CNY)	¥ 1980 (CNY)
250	70	395	350	319	F10	12-M20	Φ23	760	8	1.2 (MPa)	¥ 1450 (CNY)	¥ 1300 (CNY)	¥ 2100 (CNY)	¥ 2600 (CNY)
300	76	445	400	370	F10	12-M20	Φ23	820	10	1.0 (MPa)	¥ 1800 (CNY)	¥ 1650 (CNY)	¥ 2700 (CNY)	¥ 3400 (CNY)
350	76	505	460	429	F12	16-M20	Φ23	890	10	0.8 (MPa)	¥ 2250 (CNY)	¥ 2050 (CNY)	¥ 3500 (CNY)	¥ 4500 (CNY)
400	89	565	515	480	F12	16-M24	Φ27	960	12	0.6 (MPa)	¥ 2850 (CNY)	¥ 2550 (CNY)	¥ 4450 (CNY)	¥ 5850 (CNY)
450	89	615	565	530	F12	20-M24	Φ27	1110	12	0.6 (MPa)	¥ 3400 (CNY)	¥ 3200 (CNY)	¥ 5400 (CNY)	¥ 6700 (CNY)
500	114	670	620	582	F14	20-M24	Φ27	1210	14	0.5 (MPa)	¥ 4600 (CNY)	¥ 4300 (CNY)	¥ 7300 (CNY)	¥ 9400 (CNY)
600	114	780	725	682	F16	20-M27	Φ30	1390	16	0.5 (MPa)	¥ 6900 (CNY)	¥ 6250 (CNY)	¥ 11900 (CNY)	¥ 14900 (CNY)
700	127	895	840	794	F16	24-M27	Φ30	1540	16	0.4 (MPa)	¥ 9200 (CNY)	¥ 8350 (CNY)	¥ 16300 (CNY)	¥ 20600 (CNY)
800	127	1015	950	901	F20	24-M30	Φ33	1710	20	0.3 (MPa)	¥ 12400 (CNY)	¥ 11400 (CNY)	¥ 20600 (CNY)	¥ 26100 (CNY)
900	127	1115	1050	1001	F20	28-M30	Φ33	1880	20	0.3 (MPa)	¥ 15300 (CNY)	¥ 14000 (CNY)	¥ 25200 (CNY)	¥ 32100 (CNY)
1000	149	1230	1160	1112	F20	28-M33	Φ36	2090	22	0.25 (MPa)	¥ 20000 (CNY)	¥ 18300 (CNY)	¥ 33700 (CNY)	¥ 43200 (CNY)


QU Series QUZ73X-10G (Rising Stem)、QUZ73X-10G(Non-Rising Stem)

Dimension



QUZ73X-10Q
(Rising Stem)

QUZ73X-10Q
(Non-Rising Stem)



Blind threaded

Tapping through

Material List

Material QUZ73X-10G (Rising Stem)

Valve Body Material	GGG40
Gate Material	SS304
Stem Material	2Cr13
Yoke Material	Q235

Material QUZ73X-10G (Non-Rising Stem)

Valve Body Material	GGG40
Gate Material	SS304
Stem Material	2Cr13
Yoke Material	Q235


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	D0	N-Th	d	H1	Plate Thickness	Measured Pressure	QUZ73X-10G (Rising Stem)	QUZ73X-10G (Non-Rising Stem)
50	48	165	125	99	180	4-M16	Φ18	290	6	1.6 (MPa)	¥ 250 (CNY)	¥ 190 (CNY)
65	48	185	145	118	200	4-M16	Φ18	330	6	1.6 (MPa)	¥ 260 (CNY)	¥ 210 (CNY)
80	51	200	160	132	200	8-M16	Φ18	358	6	1.6 (MPa)	¥ 280 (CNY)	¥ 240 (CNY)
100	51	220	180	156	240	8-M16	Φ18	378	6	1.6 (MPa)	¥ 345 (CNY)	¥ 295 (CNY)
125	57	250	210	184	260	8-M16	Φ18	428	6	1.4 (MPa)	¥ 385 (CNY)	¥ 345 (CNY)
150	57	285	240	211	280	8-M20	Φ23	490	8	1.4 (MPa)	¥ 475 (CNY)	¥ 445 (CNY)
200	70	340	295	266	300	8-M20	Φ23	588	8	1.3 (MPa)	¥ 625 (CNY)	¥ 595 (CNY)
250	70	395	350	319	320	12-M20	Φ23	690	10	1.2 (MPa)	¥ 940 (CNY)	¥ 890 (CNY)
300	76	445	400	370	350	12-M20	Φ23	815	10	1.0 (MPa)	¥ 1200 (CNY)	¥ 1195 (CNY)
350	76	505	460	429	400	16-M20	Φ23	890	10	0.8 (MPa)	¥ 1515 (CNY)	¥ 1510 (CNY)
400	89	565	515	480	450	16-M24	Φ27	980	12	0.6 (MPa)	¥ 2020 (CNY)	¥ 2020 (CNY)
450	89	615	565	530		20-M24	Φ27		12	0.6 (MPa)		
500	114	670	620	582		20-M24	Φ27		14	0.5 (MPa)		
600	114	780	725	682		20-M27	Φ30		16	0.5 (MPa)		
700	127	895	840	794		24-M27	Φ30		16	0.4 (MPa)		
800	127	1015	950	901		24-M30	Φ33		18	0.3 (MPa)		
900	127	1115	1050	1001		28-M30	Φ33		18	0.25 (MPa)		
1000	149	1230	1160	1112		28-M33	Φ36		20	0.25 (MPa)		

QU Series (QUZ673X-10Q)

Dimension



Material List

Material	QUZ673X-10Q
Valve Body Material	GGG40
Gate Material	SS304
Stem Material	2Cr13
Yoke Material	Q235


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	D0	N-Th	d	H1	Plate Thickness	Measured Pressure	QUZ673X-10Q
50	48	165	125	99	180	4-M16	Φ18	290	6	1.6 (MPa)	¥ 320 (CNY)
65	48	185	145	118	200	4-M16	Φ18	330	6	1.6 (MPa)	¥ 340 (CNY)
80	51	200	160	132	200	8-M16	Φ18	358	6	1.6 (MPa)	¥ 360 (CNY)
100	51	220	180	156	240	8-M16	Φ18	378	6	1.6 (MPa)	¥ 425 (CNY)
125	57	250	210	184	260	8-M16	Φ18	428	6	1.4 (MPa)	¥ 465 (CNY)
150	57	285	240	211	280	8-M20	Φ23	490	8	1.4 (MPa)	¥ 655 (CNY)
200	70	340	295	266	300	8-M20	Φ23	588	8	1.3 (MPa)	¥ 1015 (CNY)
250	70	395	350	319	320	12-M20	Φ23	690	10	1.2 (MPa)	¥ 1340 (CNY)
300	76	445	400	370	350	12-M20	Φ23	815	10	1.0 (MPa)	¥ 1895 (CNY)
350	76	505	460	429	400	16-M20	Φ23	890	10	0.8 (MPa)	¥ 2210 (CNY)
400	89	565	515	480	450	16-M24	Φ27	980	12	0.6 (MPa)	¥ 3420 (CNY)
450	89	615	565	530		20-M24	Φ27		12	0.6 (MPa)	¥ 3800 (CNY)
500	114	670	620	582		20-M24	Φ27		14	0.5 (MPa)	¥ 7050 (CNY)
600	114	780	725	682		20-M27	Φ30		16	0.5 (MPa)	¥ 8700 (CNY)
700	127	895	840	794		24-M27	Φ30		16	0.4 (MPa)	
800	127	1015	950	901		24-M30	Φ33		18	0.3 (MPa)	
900	127	1115	1050	1001		28-M30	Φ33		18	0.25 (MPa)	
1000	149	1230	1160	1112		28-M33	Φ36		20	0.25 (MPa)	

QU Series (QUZ573X-10Q)

Dimension



Material List

Material	QUZ573X-10Q
Valve Body Material	GGG40
Gate Material	SS304
Stem Material	2Cr13
Yoke Material	Q235


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	D0	N-Th	d	H1	Plate Thickness	Measured Pressure	QUZ573X-10Q
50	48	165	125	99	F10	4-M16	Φ19	368	6	1.6 (MPa)	¥ 700 (CNY)
65	48	185	145	118	F10	4-M16	Φ19	375	6	1.6 (MPa)	¥ 720 (CNY)
80	51	200	160	132	F10	8-M16	Φ19	420	6	1.6 (MPa)	¥ 740 (CNY)
100	51	220	180	156	F10	8-M16	Φ19	457	6	1.6 (MPa)	¥ 790 (CNY)
125	57	250	210	184	F10	8-M16	Φ19	503	6	1.4 (MPa)	¥ 830 (CNY)
150	57	285	240	211	F10	8-M20	Φ23	564	8	1.4 (MPa)	¥ 980 (CNY)
200	70	340	295	266	F10	8-M20	Φ23	645	8	1.3 (MPa)	¥ 1120 (CNY)
250	70	395	350	319	F10	12-M20	Φ23	750	10	1.2 (MPa)	¥ 1410 (CNY)
300	76	445	400	370	F10	12-M20	Φ23	860	10	1.0 (MPa)	¥ 1750 (CNY)
350	76	505	460	429	F12	16-M20	Φ23	960	10	0.8 (MPa)	¥ 2150 (CNY)
400	89	565	515	480	F12	16-M24	Φ27	1060	12	0.6 (MPa)	¥ 2600 (CNY)
450	89	615	565	530	F12	20-M24	Φ27	1220	12	0.6 (MPa)	¥ 3120 (CNY)
500	114	670	620	582	F14	20-M24	Φ27	1330	14	0.5 (MPa)	¥ 4450 (CNY)
600	114	780	725	682	F16	20-M27	Φ30	1460	16	0.5 (MPa)	¥ 6400 (CNY)
700	127	895	840	794	F16	24-M27	Φ30	1750	16	0.4 (MPa)	¥ 8500 (CNY)
800	127	1015	950	901	F20	24-M30	Φ33	1940	18	0.3 (MPa)	¥ 11400 (CNY)
900	127	1115	1050	1001	F20	28-M30	Φ33	2105	18	0.25 (MPa)	¥ 14800 (CNY)
1000	149	1230	1160	1112	F20	28-M33	Φ36	2265	20	0.25 (MPa)	¥ 19500 (CNY)
1200											¥ 68000 (CNY)
1400											¥ 140000 (CNY)

QU Series (QUZ973X-10G)

Dimension



Material List

Material QUZ973X-10G

Valve Body Material	GGG40
Gate Material	SS304
Stem Material	2Cr13
Yoke Material	Q235


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	D0	N-Th	d	H1	Plate Thickness	Measured Pressure	QUZ973X-10G (Non-electrically actuated)	QUZ973X-10G (electrically actuated)
50	48	165	125	99	365	4-M16	Φ18	410	6	1.6 (MPa)	¥ 300 (CNY)	¥ 1950 (CNY)
65	48	185	145	118	365	4-M16	Φ18	420	6	1.6 (MPa)	¥ 310 (CNY)	¥ 1960 (CNY)
80	51	200	160	132	365	8-M16	Φ18	460	6	1.6 (MPa)	¥ 330 (CNY)	¥ 1980 (CNY)
100	51	220	180	156	365	8-M16	Φ18	500	6	1.6 (MPa)	¥ 395 (CNY)	¥ 2045 (CNY)
125	57	250	210	184	365	8-M16	Φ18	540	6	1.4 (MPa)	¥ 465 (CNY)	¥ 2120 (CNY)
150	57	285	240	211	365	8-M20	Φ23	610	8	1.4 (MPa)	¥ 555 (CNY)	¥ 2210 (CNY)
200	70	340	295	266	365	8-M20	Φ23	690	8	1.3 (MPa)	¥ 725 (CNY)	¥ 2380 (CNY)
250	70	395	350	319	365	12-M20	Φ23	820	10	1.2 (MPa)	¥ 1040 (CNY)	¥ 2700 (CNY)
300	76	445	400	370	365	12-M20	Φ23	930	10	1.0 (MPa)	¥ 1320 (CNY)	¥ 3090 (CNY)
350	76	505	460	429	365	16-M20	Φ23	1010	10	0.8 (MPa)	¥ 1665 (CNY)	¥ 3450 (CNY)
400	89	565	515	480	365	16-M24	Φ27	1110	12	0.6 (MPa)	¥ 2180 (CNY)	¥ 3980 (CNY)
450	89	615	565	530	365	20-M24	Φ27	1400	12	0.6 (MPa)	¥ 3210 (CNY)	¥ 5660 (CNY)
500	114	670	620	582	365	20-M24	Φ27	1450	14	0.5 (MPa)	¥ 4570 (CNY)	¥ 6990 (CNY)
600	114	780	725	682	365	20-M27	Φ30	1550	16	0.5 (MPa)	¥ 6790 (CNY)	¥ 8975 (CNY)
700	127	895	840	794	365	24-M27	Φ30	1820	16	0.4 (MPa)	¥ 8230 (CNY)	¥ 10980 (CNY)
800	127	1015	950	901	365	24-M30	Φ33	2010	18	0.3 (MPa)	¥ 11200 (CNY)	¥ 13750 (CNY)
900	127	1115	1050	1001	550	28-M30	Φ33		18	0.25 (MPa)	¥ 14580 (CNY)	¥ 17150 (CNY)
1000	149	1230	1160	1112	550	28-M33	Φ36		20	0.25 (MPa)	¥ 19820 (CNY)	¥ 23100 (CNY)

QW Series(QWZ73NR-10G)

Dimension



Material List

Material	QWZ73NR-10G
Valve Body Material	GGG40
Gate Material	SS304
Stem Material	2Cr13
Yoke Material	Q235


unit:mm

Knife Gate Valve Quotation

DN	L	L1	D	D1	D2	D0	N-Th	d	H1	Plate Thickness	Measured Pressure	QWZ73NR-10G
50	53	55	165	125	99	180	4-M16	Φ18	295	5	1.6 (MPa)	¥ 375 (CNY)
65	53	55	185	145	118	200	4-M16	Φ18	310	5	1.6 (MPa)	¥ 400 (CNY)
80	55	57	200	160	132	220	8-M16	Φ18	335	5	1.6 (MPa)	¥ 430 (CNY)
100	55	57	220	180	156	240	8-M16	Φ18	375	5	1.6 (MPa)	¥ 480 (CNY)
125	62	64	250	210	184	260	8-M16	Φ18	420	5	1.6 (MPa)	¥ 600 (CNY)
150	62	64	285	240	211	280	8-M20	Φ23	490	6	1.4 (MPa)	¥ 765 (CNY)
200	75	77	340	295	266	300	8-M20	Φ23	570	6	1.0 (MPa)	¥ 995 (CNY)
250	75	77	395	350	319	320	12-M20	Φ23	690	8	1.0 (MPa)	¥ 1365 (CNY)
300	82	84	445	400	370	350	12-M20	Φ23	805	8	0.8 (MPa)	¥ 1830 (CNY)
350	82	84	505	460	429	400	16-M20	Φ23	895	8	0.7 (MPa)	¥ 2165 (CNY)
400	95	99	565	515	480	450	16-M24	Φ27	985	8	0.6 (MPa)	¥ 2845 (CNY)
450	95	99	615	565	530		20-M24	Φ27		8	0.5 (MPa)	
500	125	129	670	620	582		20-M24	Φ27		12	0.5 (MPa)	
600	125	129	780	725	682		20-M27	Φ30		14	0.45 (MPa)	
700	138	143	895	840	794		24-M27	Φ30		14	0.45 (MPa)	
800	138	143	1015	950	901		24-M30	Φ33		16	0.3 (MPa)	

QW Series (QWZ673NR-10G)

Dimension



Material List

Material QWZ673NR-10G

Valve Body Material	GGG40
Gate Material	SS304
Stem Material	2Cr13
Yoke Material	Q235


unit:mm

Knife Gate Valve Quotation

DN	L	L1	D	D1	D2	D0	N-Th	d	H1	Plate Thickness	Measured Pressure	QWZ673NR-10G
50	53	55	165	125	99	100	4-M16	Φ18	483	5	1.6 (MPa)	¥ 455 (CNY)
65	53	55	185	145	118	100	4-M16	Φ18	505	5	1.6 (MPa)	¥ 485 (CNY)
80	55	57	200	160	132	100	8-M16	Φ18	550	5	1.6 (MPa)	¥ 540 (CNY)
100	55	57	220	180	156	125	8-M16	Φ18	600	5	1.6 (MPa)	¥ 675 (CNY)
125	62	64	250	210	184	125	8-M16	Φ18	710	5	1.6 (MPa)	¥ 815 (CNY)
150	62	64	285	240	211	160	8-M20	Φ23	805	6	1.4 (MPa)	¥ 1165 (CNY)
200	75	77	340	295	266	160	8-M20	Φ23	985	6	1.0 (MPa)	¥ 1425 (CNY)
250	75	77	395	350	319	200	12-M20	Φ23	1160	8	1.0 (MPa)	¥ 2045 (CNY)
300	82	84	445	400	370	200	12-M20	Φ23	1315	8	0.8 (MPa)	¥ 2585 (CNY)
350	82	84	505	460	429	250	16-M20	Φ23	1520	8	0.7 (MPa)	¥ 3615 (CNY)
400	95	99	565	515	480	250	16-M24	Φ27	1610	8	0.6 (MPa)	¥ 4375 (CNY)
450	95	99	615	565	530	250	20-M24	Φ27	1795	8	0.5 (MPa)	¥ 5145 (CNY)
500	125	129	670	620	582	320	20-M24	Φ27	1995	12	0.5 (MPa)	¥ 8315 (CNY)
600	125	129	780	725	682	320	20-M27	Φ30	2250	14	0.45 (MPa)	¥ 12600 (CNY)
700	138	143	895	840	794	400	24-M27	Φ30	2465	14	0.45 (MPa)	¥ 15630 (CNY)
800	138	143	1015	950	901	400	24-M30	Φ33	2785	16	0.3 (MPa)	¥ 19300 (CNY)

QW Series(QWZ573NR-10Q)

Dimension



Material List

Material	QWZ573NR-10Q
Valve Body Material	GGG40
Gate Material	SS304
Stem Material	2Cr13
Yoke Material	Q235


unit:mm

Knife Gate Valve Quotation

DN	L	L1	D	D1	D2	D0	N-Th	d	H1	Plate Thickness	Measured Pressure	QWZ573NR-10Q
50	53	55	165	125	99	250	4-M16	Φ18	385	5	1.6 (MPa)	¥ 820 (CNY)
65	53	55	185	145	118	250	4-M16	Φ18	390	5	1.6 (MPa)	¥ 850 (CNY)
80	55	57	200	160	132	250	8-M16	Φ18	470	5	1.6 (MPa)	¥ 885 (CNY)
100	55	57	220	180	156	250	8-M16	Φ18	520	5	1.6 (MPa)	¥ 940 (CNY)
125	62	64	250	210	184	250	8-M16	Φ18	569	5	1.6 (MPa)	¥ 1060 (CNY)
150	62	64	285	240	211	250	8-M20	Φ23	623	6	1.4 (MPa)	¥ 1210 (CNY)
200	75	77	340	295	266	250	8-M20	Φ23	695	6	1.0 (MPa)	¥ 1450 (CNY)
250	75	77	395	350	319	300	12-M20	Φ23	830	8	1.0 (MPa)	¥ 1865 (CNY)
300	82	84	445	400	370	300	12-M20	Φ23	950	8	0.8 (MPa)	¥ 2350 (CNY)
350	82	84	505	460	429	450	16-M20	Φ23	1060	8	0.7 (MPa)	¥ 2670 (CNY)
400	95	99	565	515	480	450	16-M24	Φ27	1125	8	0.6 (MPa)	¥ 3350 (CNY)
450	95	99	615	565	530	450	20-M24	Φ27	1200	8	0.5 (MPa)	¥ 4060 (CNY)
500	125	129	670	620	582	500	20-M24	Φ27	1350	12	0.5 (MPa)	¥ 5510 (CNY)
600	125	129	780	725	682	500	20-M27	Φ30	1580	14	0.45 (MPa)	¥ 8400 (CNY)
700	138	143	895	840	794	600	24-M27	Φ30	1715	14	0.45 (MPa)	¥ 10865 (CNY)
800	138	143	1015	950	901	600	24-M30	Φ33	1925	16	0.3 (MPa)	¥ 15195 (CNY)

QW Series (QWZ973NR-10G)

Dimension



Material List

Material QWZ973NR-10G

Valve Body Material	GGG40
Gate Material	SS304
Stem Material	2Cr13
Yoke Material	Q235


unit:mm

Knife Gate Valve Quotation

DN	L	L1	D	D1	D2	t	N-Th	T	d	H1	Plate Thickness	Measured Pressure	QWZ973NR-10G (Non-electrically actuated)	QWZ973NR-10G (electrically actuated)
50	53	55	165	125	99	4	4-M16	12	19	279	5	1.6 (MPa)	¥ 420 (CNY)	¥ 2005 (CNY)
65	53	55	185	145	118	4	4-M16	12	19	306	5	1.6 (MPa)	¥ 450 (CNY)	¥ 2035 (CNY)
80	55	57	200	160	132	5	8-M16	12	19	334	5	1.6 (MPa)	¥ 480 (CNY)	¥ 2065 (CNY)
100	55	57	220	180	156	5	8-M16	12	19	374	5	1.6 (MPa)	¥ 530 (CNY)	¥ 2115 (CNY)
125	62	64	250	210	184	5	8-M16	14	19	423	5	1.6 (MPa)	¥ 650 (CNY)	¥ 2300 (CNY)
150	62	64	285	240	211	6	8-M20	14	23	482	6	1.4 (MPa)	¥ 815 (CNY)	¥ 2465 (CNY)
200	75	77	340	295	266	6	8-M20	18	23	560	6	1.0 (MPa)	¥ 1060 (CNY)	¥ 2710 (CNY)
250	75	77	395	350	319	8	12-M20	18	23	654	8	1.0 (MPa)	¥ 1425 (CNY)	¥ 3165 (CNY)
300	82	84	445	400	370	8	12-M20	20	23	768	8	0.8 (MPa)	¥ 1895 (CNY)	¥ 3635 (CNY)
350	82	84	505	460	429	8	16-M20	20	23	866	8	0.7 (MPa)	¥ 2240 (CNY)	¥ 4020 (CNY)
400	95	99	565	515	480	10	16-M24	24	27	953	8	0.6 (MPa)	¥ 2920 (CNY)	¥ 4700 (CNY)
450	95	99	615	565	530	10	20-M24	24	27	1044	8	0.5 (MPa)	¥ 3620 (CNY)	¥ 5440 (CNY)
500	125	129	670	620	582	12	20-M24	27	27	1149	12	0.5 (MPa)	¥ 5000 (CNY)	¥ 7940 (CNY)
600	125	129	780	725	682	14	20-M27	27	30	1347	14	0.45 (MPa)	¥ 7900 (CNY)	¥ 10740 (CNY)
700	138	143	895	840	794	14	24-M27	27	30	1497	14	0.45 (MPa)	¥ 10300 (CNY)	¥ 13275 (CNY)
800	138	143	1015	950	901	16	24-M30	30	33	1707	16	0.3 (MPa)	¥ 14100 (CNY)	¥ 17265 (CNY)

QPA Series (QPAZ73X-10C、QPAZ73X-10G、QPAZ73X-10P、QPAZ73X-10RL)

Dimension



Material List

Material	QPAZ73X-10C	QPAZ73X-10G
Valve Body Material	WCB	GGG40
Gate Material	SS304	SS304
Stem Material	2Cr13	2Cr13
Yoke Material	Q235	Q235

Material	QPAZ73X-10P	QPAZ73X-10RL
Valve Body Material	CF8	CF3M
Gate Material	SS304	SS316L
Stem Material	SS304	SS304
Yoke Material	SS304	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	N-Th	H1	Plate Thickness	Measured Pressure	QPAZ73X-10C	QPAZ73X-10G	QPAZ73X-10P	QPAZ73X-10RL
50	48	165	125	99	4-M16	340	8	2.0 (MPa)	¥ 620 (CNY)	¥ 580 (CNY)	¥ 850 (CNY)	¥ 995 (CNY)
65	48	185	145	118	8-M16	365	8	2.0 (MPa)	¥ 680 (CNY)	¥ 650 (CNY)	¥ 950 (CNY)	¥ 1080 (CNY)
80	51	200	160	132	8-M16	385	8	2.0 (MPa)	¥ 760 (CNY)	¥ 680 (CNY)	¥ 1000 (CNY)	¥ 1200 (CNY)
100	51	220	180	156	8-M16	425	8	2.0 (MPa)	¥ 930 (CNY)	¥ 820 (CNY)	¥ 1200 (CNY)	¥ 1440 (CNY)
125	57	250	210	184	8-M16	490	10	2.2 (MPa)	¥ 1080 (CNY)	¥ 950 (CNY)	¥ 1500 (CNY)	¥ 1900 (CNY)
150	57	285	240	211	8-M20	540	10	1.6 (MPa)	¥ 1320 (CNY)	¥ 1170 (CNY)	¥ 1760 (CNY)	¥ 2200 (CNY)
200	70	340	295	266	8-M20	635	12	1.5 (MPa)	¥ 1790 (CNY)	¥ 1540 (CNY)	¥ 2520 (CNY)	¥ 3200 (CNY)
250	70	395	350	319	12-M20	755	14	1.8 (MPa)	¥ 2450 (CNY)	¥ 2100 (CNY)	¥ 3200 (CNY)	¥ 4165 (CNY)
300	76	445	400	370	12-M20	875	16	1.5 (MPa)	¥ 3250 (CNY)	¥ 2750 (CNY)	¥ 4350 (CNY)	¥ 5780 (CNY)

QPA Series (QPAZ673X-10C、QPAZ673X-10G、QPAZ673X-10P、QPAZ673X-10RL)

Dimension



Material List

Material	QPAZ673X-10C	QPAZ673X-10G
Valve Body Material	WCB	GGG40
Gate Material	SS304	SS304
Stem Material	2Cr13	2Cr13
Yoke Material	Q235	Q235

Material	QPAZ673X-10P	QPAZ673X-10RL
Valve Body Material	CF8	CF3M
Gate Material	SS304	SS316L
Stem Material	SS304	SS304
Yoke Material	SS304	SS304

unit:mm


Knife Gate Valve Quotation

DN	L	D	D1	D2	D0	t	N-Th	H1	H2	Plate Thickness	Measured Pressure	QPAZ673X-10C	QPAZ673X-10G	QPAZ673X-10P	QPAZ673X-10RL
50	48	165	125	99	100	8	4-M16	314	136	8	2.0 (MPa)	¥ 760 (CNY)	¥ 720 (CNY)	¥ 990 (CNY)	¥ 1135 (CNY)
65	48	185	145	118		8	4-M16			8	2.0 (MPa)	¥ 820 (CNY)	¥ 790 (CNY)	¥ 1090 (CNY)	¥ 1220 (CNY)
80	51	200	160	132	125	8	8-M16	373	185	8	2.0 (MPa)	¥ 990 (CNY)	¥ 910 (CNY)	¥ 1230 (CNY)	¥ 1430 (CNY)
100	51	220	180	156	125	8	8-M16	410	200	8	2.0 (MPa)	¥ 1330 (CNY)	¥ 1220 (CNY)	¥ 1600 (CNY)	¥ 1840 (CNY)
125	57	250	210	184	125	10	8-M16	479	200	10	2.2 (MPa)	¥ 1500 (CNY)	¥ 1380 (CNY)	¥ 1900 (CNY)	¥ 2300 (CNY)
150	57	285	240	211	160	10	8-M20	506	260	10	1.6 (MPa)	¥ 1870 (CNY)	¥ 1720 (CNY)	¥ 2310 (CNY)	¥ 2750 (CNY)
200	70	340	295	266	200	12	8-M20	609	300	12	1.5 (MPa)	¥ 3200 (CNY)	¥ 2900 (CNY)	¥ 3900 (CNY)	¥ 4550 (CNY)
250	70	395	350	319	200	14	12-M20	727	391	14	1.8 (MPa)	¥ 3800 (CNY)	¥ 3450 (CNY)	¥ 4550 (CNY)	¥ 5500 (CNY)
300	76	445	400	370	250	16	12-M20	845	400	16	1.5 (MPa)	¥ 4650 (CNY)	¥ 4150 (CNY)	¥ 5750 (CNY)	¥ 6180 (CNY)
350	76	505	460	429	250	18	16-M20	958	500	18	1.3 (MPa)	¥ 6400 (CNY)	¥ 5850 (CNY)	¥ 7450 (CNY)	¥ 8880 (CNY)
400	89	565	515	480	320	20	16-M24	1087	555	20	1.2 (MPa)	¥ 9340 (CNY)	¥ 8550 (CNY)	¥ 10400 (CNY)	¥ 11050 (CNY)
450	89	615	565	530		22	20-M24			22					
500	114	670	620	582		24	20-M24			24					
600	114	780	725	682		32	20-M27			32					

QPA Series (QPAZ573X-10C、QPAZ573X-10G、QPAZ573X-10P、QPAZ573X-10RL)

Dimension

Material List



Material	QPAZ573X-10C	QPAZ573X-10G
Valve Body Material	WCB	GGG40
Gate Material	SS304	SS304
Stem Material	2Cr13	2Cr13
Yoke Material	Q235	Q235

Material	QPAZ573X-10P	QPAZ573X-10RL
Valve Body Material	CF8	CF3M
Gate Material	SS304	SS316L
Stem Material	SS304	SS304
Yoke Material	SS304	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	N-Th	d	H1	Plate Thickness	Measured Pressure	QPAZ573X-10C	QPAZ573X-10G	QPAZ573X-10P	QPAZ573X-10RL
50	48	165	125	99	4-M16	Φ19		8	2.0 (MPa)	¥ 1070 (CNY)	¥ 1030 (CNY)	¥ 1300 (CNY)	¥ 1445 (CNY)
65	48	185	145	118	4-M16	Φ19		8	2.0 (MPa)	¥ 1130 (CNY)	¥ 1100 (CNY)	¥ 1400 (CNY)	¥ 1530 (CNY)
80	51	200	160	132	8-M16	Φ19		8	2.0 (MPa)	¥ 1210 (CNY)	¥ 1030 (CNY)	¥ 1450 (CNY)	¥ 1650 (CNY)
100	51	220	180	156	8-M16	Φ19		8	2.0 (MPa)	¥ 1380 (CNY)	¥ 1270 (CNY)	¥ 1650 (CNY)	¥ 1890 (CNY)
125	57	250	210	184	8-M16	Φ19		10	2.2 (MPa)	¥ 1530 (CNY)	¥ 1400 (CNY)	¥ 1950 (CNY)	¥ 2350 (CNY)
150	57	285	240	211	8-M20	Φ23		10	1.6 (MPa)	¥ 1770 (CNY)	¥ 1620 (CNY)	¥ 2210 (CNY)	¥ 2650 (CNY)
200	70	340	295	266	8-M20	Φ23		12	1.5 (MPa)	¥ 2240 (CNY)	¥ 1990 (CNY)	¥ 2970 (CNY)	¥ 3650 (CNY)
250	70	395	350	319	12-M20	Φ23		14	1.8 (MPa)	¥ 2900 (CNY)	¥ 2550 (CNY)	¥ 3650 (CNY)	¥ 4620 (CNY)
300	76	445	400	370	12-M20	Φ23	853	16	1.5 (MPa)	¥ 3900 (CNY)	¥ 3600 (CNY)	¥ 5040 (CNY)	¥ 6450 (CNY)
350	76	505	460	429	16-M20	Φ23	865	18	1.3 (MPa)	¥ 5085 (CNY)	¥ 4695 (CNY)	¥ 6330 (CNY)	¥ 8330 (CNY)
400	89	565	515	480	16-M24	Φ27	958	20	1.2 (MPa)	¥ 6485 (CNY)	¥ 5780 (CNY)	¥ 7550 (CNY)	¥ 10215 (CNY)
450	89	615	565	530	20-M24	Φ27	1059	22		¥ 7100 (CNY)	¥ 6700 (CNY)	¥ 10400 (CNY)	¥ 13550 (CNY)
500	114	670	620	582	20-M24	Φ27	1181	24		¥ 10920 (CNY)	¥ 10100 (CNY)	¥ 15500 (CNY)	¥ 20800 (CNY)
600	114	780	725	682	20-M27	Φ30	1396	32		¥ 16560 (CNY)	¥ 15400 (CNY)	¥ 26350 (CNY)	¥ 32010 (CNY)
700	127	895	840	794	24-M27	Φ30							
800	127	1015	950	901	24-M30	Φ33							
900	127	1115	1015	1001	28-M30	Φ33							
1000	149	1230	1160	1112	28-M33	Φ36							

QPA Series (QPAZ943X-10C、QPAZ943X-10G、QPAZ943X-10P、QPAZ943X-10RL)

Dimension



Material List

Material	QPAZ943X-10C	QPAZ943X-10G
Valve Body Material	WCB	GGG40
Gate Material	SS304	SS304
Stem Material	2Cr13	2Cr13
Yoke Material	Q235	Q235

Material	QPAZ943X-10P	QPAZ943X-10RL
Valve Body Material	CF8	CF3M
Gate Material	SS304	SS316L
Stem Material	SS304	SS304
Yoke Material	SS304	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	N-Th	T	H1	Plate Thickness	Measured Pressure	QPAZ943X-10C (Non-electrically actuated)	QPAZ943X-10G (Non-electrically actuated)	QPAZ943X-10P (Non-electrically actuated)	QPAZ943X-10RL (Non-electrically actuated)
50	48	165	125	99	4-M16	8		8	2.0 (MPa)	¥ 720 (CNY)	¥ 680 (CNY)	¥ 950 (CNY)	¥ 1095 (CNY)
65	48	185	145	118	8-M16	8		8	2.0 (MPa)	¥ 780 (CNY)	¥ 750 (CNY)	¥ 1050 (CNY)	¥ 1180 (CNY)
80	51	200	160	132	8-M16	8		8	2.0 (MPa)	¥ 860 (CNY)	¥ 780 (CNY)	¥ 1100 (CNY)	¥ 1300 (CNY)
100	51	220	180	156	8-M16	8	408	8	2.0 (MPa)	¥ 1030 (CNY)	¥ 920 (CNY)	¥ 1300 (CNY)	¥ 1540 (CNY)
125	57	250	210	184	8-M16	10		10	2.2 (MPa)	¥ 1180 (CNY)	¥ 1050 (CNY)	¥ 1600 (CNY)	¥ 2000 (CNY)
150	57	285	240	211	8-M20	10	518	10	1.6 (MPa)	¥ 1420 (CNY)	¥ 1270 (CNY)	¥ 1860 (CNY)	¥ 2300 (CNY)
200	70	340	295	266	8-M20	12	614	12	1.5 (MPa)	¥ 1890 (CNY)	¥ 1640 (CNY)	¥ 2620 (CNY)	¥ 3300 (CNY)
250	70	395	350	319	12-M20	14		14	1.8 (MPa)	¥ 2550 (CNY)	¥ 2200 (CNY)	¥ 3300 (CNY)	¥ 4265 (CNY)
300	76	445	400	370	12-M20	16	849	16	1.5 (MPa)	¥ 3350 (CNY)	¥ 2850 (CNY)	¥ 4450 (CNY)	¥ 5880 (CNY)
350	76	505	460	429	16-M20	18		18	1.3 (MPa)	¥ 4650 (CNY)	¥ 4245 (CNY)	¥ 5880 (CNY)	¥ 7900 (CNY)
400	89	565	515	480	16-M24	20		20	1.2 (MPa)	¥ 6040 (CNY)	¥ 5330 (CNY)	¥ 7100 (CNY)	¥ 9790 (CNY)
450	89	615	565	530	20-M24	22		22		¥ 6650 (CNY)	¥ 6250 (CNY)	¥ 9950 (CNY)	¥ 13100 (CNY)
500	114	670	620	582	20-M24	24		24		¥ 10480 (CNY)	¥ 9650 (CNY)	¥ 15050 (CNY)	¥ 20350 (CNY)
600	114	780	725	682	20-M27	32		32		¥ 16110 (CNY)	¥ 14950 (CNY)	¥ 25900 (CNY)	¥ 31580 (CNY)

QPA Series (QPAZ243X-10C, QPAZ243X-10G, QPAZ243X-10P, QPAZ243X-10RL)

Dimension



Material List

Material	QPAZ243X-10C	QPAZ243X-10G
Valve Body Material	WCB	GGG40
Gate Material	SS304	SS304
Stem Material	2Cr13	2Cr13
Yoke Material	Q235	Q235

Material	QPAZ243X-10P	QPAZ243X-10RL
Valve Body Material	CF8	CF3M
Gate Material	SS304	SS316L
Stem Material	SS304	SS304
Yoke Material	SS304	SS304

unit:mm


Knife Gate Valve Quotation

DN	L	D	D1	D2	D0	N-Th	t	d	H1	Plate Thickness	Measured Pressure	QPAZ243X-10C	QPAZ243X-10G	QPAZ243X-10P	QPAZ243X-10RL
50	48	165	125	99	40	4-M16	8	Φ19	277	8	2.0 (MPa)	¥ 1000 (CNY)	¥ 960 (CNY)	¥ 1230 (CNY)	¥ 1380 (CNY)
65	48	185	145	118	40	4-M16	8	Φ19	301	8	2.0 (MPa)	¥ 1080 (CNY)	¥ 1050 (CNY)	¥ 1350 (CNY)	¥ 1480 (CNY)
80	51	200	160	132	40	8-M16	8	Φ19	323	8	2.0 (MPa)	¥ 1160 (CNY)	¥ 1080 (CNY)	¥ 1400 (CNY)	¥ 1600 (CNY)
100	51	220	180	156	40	8-M16	8	Φ19	361	8	2.0 (MPa)	¥ 1330 (CNY)	¥ 1220 (CNY)	¥ 1600 (CNY)	¥ 1840 (CNY)
125	57	250	210	184	50	8-M16	10	Φ19	421	10	2.2 (MPa)	¥ 1490 (CNY)	¥ 1360 (CNY)	¥ 1910 (CNY)	¥ 2310 (CNY)
150	57	285	240	211	50	8-M20	10	Φ23	467	10	1.6 (MPa)	¥ 1730 (CNY)	¥ 1580 (CNY)	¥ 2170 (CNY)	¥ 2610 (CNY)
200	70	340	295	266	63	8-M20	12	Φ23	562.5	12	1.5 (MPa)	¥ 2200 (CNY)	¥ 1950 (CNY)	¥ 2930 (CNY)	¥ 3610 (CNY)
250	70	395	350	319	63	12-M20	14	Φ23	673.5	14	1.8 (MPa)	¥ 2950 (CNY)	¥ 2570 (CNY)	¥ 3700 (CNY)	¥ 4665 (CNY)
300	76	445	400	370	63	12-M20	16	Φ23	789	16	1.5 (MPa)	¥ 3750 (CNY)	¥ 3250 (CNY)	¥ 4850 (CNY)	¥ 6280 (CNY)
350	76	505	460	429	80	16-M20	18	Φ23	877.5	18	1.3 (MPa)	¥ 4350 (CNY)	¥ 3850 (CNY)	¥ 5450 (CNY)	¥ 6880 (CNY)
400	89	565	515	480	80	16-M24	20	Φ27	975	20	1.2 (MPa)	¥ 4550 (CNY)	¥ 4050 (CNY)	¥ 5650 (CNY)	¥ 7080 (CNY)
450	89	615	565	530		20-M24	22	Φ23		22		¥ 8150 (CNY)	¥ 7750 (CNY)	¥ 11450 (CNY)	¥ 14600 (CNY)
500	114	670	620	582		20-M24	24	Φ23		24		¥ 12080 (CNY)	¥ 11250 (CNY)	¥ 16650 (CNY)	¥ 21950 (CNY)
600	114	780	725	682		20-M27	32	Φ30		32		¥ 17810 (CNY)	¥ 16650 (CNY)	¥ 27600 (CNY)	¥ 33280 (CNY)

QY Series (QYZ73X-10C、QYZ73X-10P、QYZ73X-10RL)

Dimension

Material List



Material	QYZ73X-10C	QYZ73X-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QYZ73X-10RL
Valve Body Material	CF3M
Gate Material	SS316L
Stem Material	SS304
Yoke Material	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	N-Th	H1	Plate Thickness	Measured Pressure	QYZ73X-10C	QYZ73X-10P	QYZ73X-10RL
80	51	200	160	132	8-M16	380	8	2.8 (MPa)	¥ 380 (CNY)	¥ 630 (CNY)	¥ 810 (CNY)
100	51	220	180	156	8-M16	420	8	2.8 (MPa)	¥ 440 (CNY)	¥ 730 (CNY)	¥ 950 (CNY)
125	57	250	210	184	8-M16	480	8	2.4 (MPa)	¥ 530 (CNY)	¥ 890 (CNY)	¥ 1180 (CNY)
150	57	285	240	211	8-M20	555	8	2.4 (MPa)	¥ 680 (CNY)	¥ 1160 (CNY)	¥ 1550 (CNY)
200	70	340	295	266	8-M20	680	10	2.0 (MPa)	¥ 940 (CNY)	¥ 1660 (CNY)	¥ 2270 (CNY)
250	70	395	350	319	12-M20	845	10	2.0 (MPa)	¥ 1350 (CNY)	¥ 2400 (CNY)	¥ 3300 (CNY)
300	76	445	400	370	12-M20	975	12	1.8 (MPa)	¥ 1850 (CNY)	¥ 3350 (CNY)	¥ 4700 (CNY)
350	76	505	460	429	16-M20	1120	12	1.8 (MPa)	¥ 2500 (CNY)	¥ 4550 (CNY)	¥ 6350 (CNY)
400	89	565	515	480	16-M24	1240	12	1.8 (MPa)	¥ 3150 (CNY)	¥ 5900 (CNY)	¥ 8250 (CNY)

QY Series (QYZ573X-10C、QYZ573X-10P、QYZ573X-10RL)

Dimension



Material List

Material	QYZ573X-10C	QYZ573X-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QYZ573X-10RL
Valve Body Material	CF3M
Gate Material	SS316L
Stem Material	SS304
Yoke Material	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	N-Th	H1	Plate Thickness	Measured Pressure	QYZ573X-10C	QYZ573X-10P	QYZ573X-10RL
50											
65											
80	51	200	160	132	8-M16		8	2.8 (MPa)	¥ 830 (CNY)	¥ 1080 (CNY)	¥ 1260 (CNY)
100	51	220	180	156	8-M16		8	2.8 (MPa)	¥ 890 (CNY)	¥ 1180 (CNY)	¥ 1400 (CNY)
125	57	250	210	184	8-M16		8	2.0 (MPa)	¥ 980 (CNY)	¥ 1340 (CNY)	¥ 1630 (CNY)
150	57	285	240	211	8-M20		8	2.0 (MPa)	¥ 1130 (CNY)	¥ 1610 (CNY)	¥ 2000 (CNY)
200	70	340	295	266	8-M20		10	2.0 (MPa)	¥ 1390 (CNY)	¥ 2110 (CNY)	¥ 2720 (CNY)
250	70	395	350	319	12-M20		10	2.0 (MPa)	¥ 1800 (CNY)	¥ 2850 (CNY)	¥ 3750 (CNY)
300	76	445	400	370	12-M20		12	1.8 (MPa)	¥ 2350 (CNY)	¥ 3850 (CNY)	¥ 5200 (CNY)
350	76	505	460	429	16-M20		12	1.8 (MPa)	¥ 3000 (CNY)	¥ 5050 (CNY)	¥ 6850 (CNY)
400	89	565	515	480	16-M24		12	1.8 (MPa)	¥ 3650 (CNY)	¥ 6400 (CNY)	¥ 8750 (CNY)
450	89	615	565	530	20-M24				¥ 3900 (CNY)	¥ 7900 (CNY)	¥ 11100 (CNY)
500	114	670	620	582	20-M24	1474	14	1.4 (MPa)	¥ 6355 (CNY)	¥ 9020 (CNY)	¥ 15700 (CNY)
600	114	780	725	682	20-M27	1754	18	1.0 (MPa)	¥ 10550 (CNY)	¥ 16040 (CNY)	¥ 26620 (CNY)
700									¥ 15000 (CNY)	¥ 25000 (CNY)	¥ 38000 (CNY)
800	127	1015	950	901	24-M30	2297	25	0.8 (MPa)	¥ 19400 (CNY)	¥ 32800 (CNY)	¥ 48640 (CNY)
900	127	1115	1050	1001	28-M30	2548	25	0.6 (MPa)	¥ 24300 (CNY)	¥ 46800 (CNY)	¥ 62300 (CNY)
1000	149	1230	1160	1112	28-M33	2821	30	0.6 (MPa)	¥ 32880 (CNY)	¥ 64500 (CNY)	¥ 86100 (CNY)
1200	156	1455	1380	1328	32-M36				¥ 78000 (CNY)	¥ 115000 (CNY)	¥ 138000 (CNY)
1400	171	1675	1590	1530	36-M39				¥ 110000 (CNY)	¥ 200000 (CNY)	¥ 265000 (CNY)
1500	198	1795	1705	1640	40-M39				¥ 125000 (CNY)	¥ 215000 (CNY)	¥ 280000 (CNY)
1600	198	1915	1820	1750	40-M45				¥ 140000 (CNY)	¥ 240000 (CNY)	¥ 310000 (CNY)
1800	219	2115	2020	1950	44-M45				¥ 205000 (CNY)	¥ 330000 (CNY)	¥ 460000 (CNY)
2000	250	2325	2230	2150	48-M45				¥ 240000 (CNY)	¥ 390000 (CNY)	¥ 520000 (CNY)

QY Series (QYZ673X-10C、QYZ673X-10P、QYZ673X-10RL)

Dimension



Material List


Material	QYZ673X-10C	QYZ673X-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QYZ673X-10RL
Valve Body Material	CF3M
Gate Material	SS316L
Stem Material	SS304
Yoke Material	SS304

unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	D0	N-Th	H1	Plate Thickness	Measured Pressure	QYZ673X-10C	QYZ673X-10P	QYZ673X-10RL
50												
65												
80	51	200	160	132	50	8-M16	541	8	2.8 (MPa)	¥ 480 (CNY)	¥ 730 (CNY)	¥ 910 (CNY)
100	51	220	180	156	50	8-M16	588	8	2.8 (MPa)	¥ 545 (CNY)	¥ 835 (CNY)	¥ 1055 (CNY)
125	57	250	210	184	63	8-M16	667	8	2.0 (MPa)	¥ 640 (CNY)	¥ 1000 (CNY)	¥ 1290 (CNY)
150	57	285	240	211	80	8-M20	812	8	2.0 (MPa)	¥ 820 (CNY)	¥ 1300 (CNY)	¥ 1690 (CNY)
200	70	340	295	266	80	8-M20	991	10	2.0 (MPa)	¥ 1100 (CNY)	¥ 1820 (CNY)	¥ 2430 (CNY)
250	70	395	350	319	100	12-M20	1200	10	2.0 (MPa)	¥ 1550 (CNY)	¥ 2600 (CNY)	¥ 3500 (CNY)
300	76	445	400	370	100	12-M20	1368	12	1.8 (MPa)	¥ 2150 (CNY)	¥ 3650 (CNY)	¥ 5000 (CNY)
350	76	505	460	429	125	16-M20	1586	12	1.8 (MPa)	¥ 2850 (CNY)	¥ 4900 (CNY)	¥ 6700 (CNY)
400	89	565	515	480	125	16-M24	1713	12	1.8 (MPa)	¥ 3600 (CNY)	¥ 6350 (CNY)	¥ 8700 (CNY)
450	89	615	565	530	/	20-M24	/			¥ 4700 (CNY)	¥ 8200 (CNY)	¥ 12300 (CNY)
500	114	670	620	582	250	20-M24	2200	14	1.4 (MPa)	¥ 7500 (CNY)	¥ 11000 (CNY)	¥ 16850 (CNY)
600	114	780	725	682	/	20-M27	/	18	1.0 (MPa)	¥ 13580 (CNY)	¥ 19050 (CNY)	¥ 29650 (CNY)
700					/		/			¥ 20000 (CNY)	¥ 30000 (CNY)	¥ 43000 (CNY)
800	127	1015	950	901	/	24-M30	/	25	0.8 (MPa)	¥ 23300 (CNY)	¥ 37000 (CNY)	¥ 52880 (CNY)
900	127	1115	1050	1001	/	28-M30	/	25	0.6 (MPa)	¥ 30000 (CNY)	¥ 54800 (CNY)	¥ 70300 (CNY)
1000	149	1230	1160	1112	/	28-M33	/	30	0.6 (MPa)	¥ 42400 (CNY)	¥ 75000 (CNY)	¥ 96100 (CNY)

QWL Series (QWLZ43NM-10C、QWLZ43NM-10P、QWLZ43NM-10R、QWLZ43NM-10RL)
Dimension

Material List

Material	QWLZ43NM-10C	QWLZ43NM-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QWLZ43NM-10R	QWLZ43NM-10RL
Valve Body Material	CF8M	CF3M
Gate Material	SS316L	SS316L
Stem Material	SS304	SS304
Yoke Material	SS304	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	L1	D	D1	D2	D0	N-Th	d	H1	H2	S	S1	Plate Thickness	Measured Pressure	QWLZ43NM-10C	QWLZ43NM-10P	QWLZ43NM-10R	QWLZ43NM-10RL
100	160	176	220	180	156	280	8-M16	Φ19	465	130	182	274	8	2.5 (MPa)	¥ 1040 (CNY)	¥ 1840 (CNY)	¥ 2155 (CNY)	¥ 2285 (CNY)
125	160	176	250	210	184	280	8-M16	Φ19	513	144	215	307	8		¥ 1185 (CNY)	¥ 2105 (CNY)	¥ 2450 (CNY)	¥ 2540 (CNY)
150	160	176	285	240	211	320	8-M20	Φ23	581	160	240	332	10	2.0 (MPa)	¥ 1455 (CNY)	¥ 2625 (CNY)	¥ 3110 (CNY)	¥ 3290 (CNY)
200	165	185	340	295	266	320	8-M20	Φ23	665	198	296	388	12	1.8 (MPa)	¥ 2065 (CNY)	¥ 3770 (CNY)	¥ 4485 (CNY)	¥ 4735 (CNY)
250	206	226	395	350	319	400	12-M20	Φ23	769	227	353	445	12	1.8 (MPa)	¥ 2730 (CNY)	¥ 5085 (CNY)	¥ 6155 (CNY)	¥ 6580 (CNY)

QWL Series (QWLZ243NM-10C, QWLZ243NM-10P, QWLZ243NM-10R, QWLZ243NM-10RL)

Dimension



Material List

Material	QWLZ243NM-10C	QWLZ243NM-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QWLZ243NM-10R	QWLZ243NM-10RL
Valve Body Material	CF8M	
Gate Material	SS316L	
Stem Material	SS304	
Yoke Material	SS304	


unit:mm

Knife Gate Valve Quotation

DN	L	L1	D	D1	D2	D0	N-Th	d	S	S1	H1	H2	Plate Thickness	Measured Pressure	QWLZ243NM-10C	QWLZ243NM-10P	QWLZ243NM-10R	QWLZ243NM-10RL
100	160	176	229	180	156	50	8-M16	Φ18	182	274	366	130	8	2.5 (MPa)	¥ 1380 (CNY)	¥ 2180 (CNY)	¥ 2500 (CNY)	¥ 2630 (CNY)
125	160	176	254	210	184	50	8-M16	Φ18	215	307	410	144	8		¥ 1530 (CNY)	¥ 2490 (CNY)	¥ 2800 (CNY)	¥ 2890 (CNY)
150	160	176	285	240	211	50	8-M20	Φ23	240	332	-	160	10	2.0 (MPa)	¥ 1850 (CNY)	¥ 3020 (CNY)	¥ 3510 (CNY)	¥ 3690 (CNY)
200	165	185	343	295	266	50	8-M20	Φ23	296	384	555	205	12	1.8 (MPa)	¥ 2520 (CNY)	¥ 4230 (CNY)	¥ 4945 (CNY)	¥ 5195 (CNY)
250	206	226	406	350	319	63	12-M20	Φ23	353	441	653	234	12	1.8 (MPa)	¥ 3200 (CNY)	¥ 5555 (CNY)	¥ 6630 (CNY)	¥ 7050 (CNY)
300	234	258	483	400	370	63	12-M20	Φ23	414	502	788	254	14		¥ 7300 (CNY)	¥ 11355 (CNY)	¥ 13555 (CNY)	¥ 14145 (CNY)
350	234	258	520	460	429	100	16-M20	Φ23	461	549	958	314	16	1.8 (MPa)	¥ 8280 (CNY)	¥ 12670 (CNY)	¥ 15230 (CNY)	¥ 15880 (CNY)
400	252	280	597	515	480	-	16-M24	Φ27	516	640	-	319	16	1.6 (MPa)	¥ 12750 (CNY)	¥ 18500 (CNY)	¥ 22660 (CNY)	¥ 23750 (CNY)
450	282	310	640	565	530	100	20-M24	Φ27	568	656	1023	349	16		¥ 13275 (CNY)	¥ 19560 (CNY)	¥ 23430 (CNY)	¥ 24410 (CNY)
500	328	360	715	620	582	-	20-M24	Φ27	629	717	-	381	18	1.3 (MPa)	¥ 29500 (CNY)	¥ 44225 (CNY)	¥ 52600 (CNY)	¥ 53770 (CNY)
600	336	372	840	725	682	-	20-M27	Φ30	734	822	-	446	20	1.3 (MPa)	¥ 29800 (CNY)	¥ 44525 (CNY)	¥ 52900 (CNY)	¥ 54070 (CNY)
700	342	378	910	840	794	-	24-M27	Φ30	839	927	-	510	22	1.0 (MPa)	¥ 33720 (CNY)	¥ 51420 (CNY)	¥ 62480 (CNY)	¥ 65200 (CNY)
800	373	413	1025	950	901	125	24-M30	Φ33	942	1030	-	579	25	0.9 (MPa)	¥ 47000 (CNY)	¥ 72500 (CNY)	¥ 81000 (CNY)	¥ 81600 (CNY)
900	430	470	1125	1050	1001	125	28-M30	Φ33	1051	1139	1754	660	25		¥ 57600 (CNY)	¥ 90940 (CNY)	¥ 107800 (CNY)	¥ 110300 (CNY)
1000	485	535	1255	1160	1112	-	28-M33	Φ36	1172	1260	1956	710	30	0.5 (MPa)				
1200	485	535	1485	1380	1328	-	32-M36	Φ39	1376	1464	-	820						
1400	485	535	1675	1590	1530	-	36-M39	Φ42	1565	1653	-	940						

QWL Series (QWLZ543NM-10C、QWLZ543NM-10P、QWLZ543NM-10R、QWLZ543NM-10RL)

Dimension



Material List

Material	QWLZ543NM-10C	QWLZ543NM-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QWLZ543NM-10R	QWLZ543NM-10RL
Valve Body Material	CF8M	CF3M
Gate Material	SS316L	SS316L
Stem Material	SS304	SS304
Yoke Material	SS304	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	L1	D	D1	D2	N-Th	d	S	S1	H1	H2	Plate Thickness	Measured Pressure	QWLZ543NM-10C	QWLZ543NM-10P	QWLZ543NM-10R	QWLZ543NM-10RL
100	160	176	220	180	156	8-M16	Φ19	182	274	424	130	8	2.5 (MPa)	¥ 1490 (CNY)	¥ 2290 (CNY)	¥ 2605 (CNY)	¥ 2735 (CNY)
125	160	176	250	210	184	8-M16	Φ19	215	307	-	144	8		¥ 1635 (CNY)	¥ 2555 (CNY)	¥ 2895 (CNY)	¥ 2985 (CNY)
150	160	176	285	240	211	8-M20	Φ23	240	332	545	160	10	2.0 (MPa)	¥ 1905 (CNY)	¥ 3075 (CNY)	¥ 3560 (CNY)	¥ 3740 (CNY)
200	165	185	340	295	266	8-M20	Φ23	296	388	-	198	12	1.8 (MPa)	¥ 2515 (CNY)	¥ 4220 (CNY)	¥ 4935 (CNY)	¥ 5185 (CNY)
250	206	226	395	350	319	12-M20	Φ23	353	445	723	227	12	1.8 (MPa)	¥ 3180 (CNY)	¥ 5535 (CNY)	¥ 6605 (CNY)	¥ 7030 (CNY)
300	234	258	445	400	370	12-M20	Φ23	414	502	788	254	14		¥ 7185 (CNY)	¥ 11200 (CNY)	¥ 13440 (CNY)	¥ 14030 (CNY)
350	234	258	505	460	429	16-M20	Φ23	461	549	958	314	16	1.8 (MPa)	¥ 8080 (CNY)	¥ 12470 (CNY)	¥ 15030 (CNY)	¥ 15680 (CNY)
400	252	280	565	515	480	16-M24	Φ27	516	640	1006	319	16	1.6 (MPa)	¥ 11950 (CNY)	¥ 17700 (CNY)	¥ 21860 (CNY)	¥ 22950 (CNY)
450	282	310	615	565	530	20-M24	Φ27	568	656	1023	349	16		¥ 12275 (CNY)	¥ 18560 (CNY)	¥ 22430 (CNY)	¥ 23410 (CNY)
500	325	360	670	620	582	20-M24	Φ27	629	717	1140	381	18	1.3 (MPa)	¥ 23850 (CNY)	¥ 34950 (CNY)	¥ 41900 (CNY)	¥ 43600 (CNY)
600	336	372	780	725	682	20-M27	Φ30	734	822	1321	446	20	1.3 (MPa)	¥ 28500 (CNY)	¥ 43225 (CNY)	¥ 51600 (CNY)	¥ 52770 (CNY)
700	342	378	895	840	794	24-M27	Φ30	839	927	1544	510	22	1.0 (MPa)	¥ 32320 (CNY)	¥ 50020 (CNY)	¥ 61080 (CNY)	¥ 63800 (CNY)
800	373	413	1015	950	901	24-M30	Φ33	942	1030	1754	579	25	0.9 (MPa)	¥ 44000 (CNY)	¥ 69500 (CNY)	¥ 78000 (CNY)	¥ 78600 (CNY)
900	430	470	1115	1050	1001	28-M30	Φ33	1051	1139	1956	660	25		¥ 54100 (CNY)	¥ 87440 (CNY)	¥ 104300 (CNY)	¥ 107000 (CNY)
1000	485	535	1230	1160	1112	28-M33	Φ36	1172	1260	2135	710	30	0.5 (MPa)	¥ 73800 (CNY)	¥ 107360 (CNY)	¥ 119725 (CNY)	¥ 121025 (CNY)
1200	485	535	1455	1380	1328	32-M36	Φ39	1376	1464	2490	820			¥ 117600 (CNY)	¥ 183600 (CNY)	¥ 216000 (CNY)	¥ 221000 (CNY)
1400														¥ 161000 (CNY)	¥ 245000 (CNY)	¥ 286000 (CNY)	¥ 292000 (CNY)

QWL Series (QWLZ643NM-10C, QWLZ643NM-10P, QWLZ643NM-10R, QWLZ643NM-10RL)

Dimension



Material List

Material	QWLZ643NM-10C	QWLZ643NM-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QWLZ643NM-10R
Valve Body Material	CF8M
Gate Material	SS316L
Stem Material	SS304
Yoke Material	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	L1	D	D1	D2	D0	N-Th	d	S	S1	H1	H2	Plate Thickness	Measured Pressure	QWLZ643NM-10C	QWLZ643NM-10P	QWLZ643NM-10R	QWLZ643NM-10RL
100	160	176	229	180	156	Φ160	8-M16	Φ18	182	274	420	130	8	2.5 (MPa)	¥1540 (CNY)	¥2335 (CNY)	¥2655 (CNY)	¥2785 (CNY)
125	160	176	254	210	184	-	8-M16	Φ18	215	307	-	144	8		¥1685 (CNY)	¥2605 (CNY)	¥2945 (CNY)	¥3035 (CNY)
150	160	176	285	240	211	Φ160	8-M20	Φ23	240	332	-	160	10	2.0 (MPa)	¥1955 (CNY)	¥3120 (CNY)	¥3610 (CNY)	¥4000 (CNY)
200	165	185	343	295	266	Φ200	8-M20	Φ23	296	384	617	205	12	1.8 (MPa)	¥2770 (CNY)	¥4480 (CNY)	¥5195 (CNY)	¥5445 (CNY)
250	206	226	406	350	319	Φ250	12-M20	Φ23	353	441	725	234	12	1.8 (MPa)	¥4125 (CNY)	¥6450 (CNY)	¥7550 (CNY)	¥8320 (CNY)
300	234	258	483	400	370	Φ250	12-M20	Φ23	414	502	860	254	14		¥8385 (CNY)	¥12400 (CNY)	¥14640 (CNY)	¥15230 (CNY)
350	234	258	520	460	429	Φ320	16-M20	Φ23	461	549	993	314	16	1.8 (MPa)	¥11080 (CNY)	¥15470 (CNY)	¥18030 (CNY)	¥18680 (CNY)
400	252	280	597	515	480	Φ320	16-M24	Φ27	516	640	1109	319	16	1.6 (MPa)	¥15095 (CNY)	¥20700 (CNY)	¥24860 (CNY)	¥25950 (CNY)
450	282	310	640	565	530	-	20-M24	Φ27	568	656	-	349	16		¥15475 (CNY)	¥21760 (CNY)	¥25630 (CNY)	¥26610 (CNY)
500	328	360	715	620	582	Φ320	20-M24	Φ27	629	717	1236	381	18	1.3 (MPa)	¥27100 (CNY)	¥38200 (CNY)	¥45150 (CNY)	¥46850 (CNY)
600	336	372	840	725	682	Φ320	20-M27	Φ30	734	822	1451	446	20	1.3 (MPa)	¥35200 (CNY)	¥46575 (CNY)	¥54950 (CNY)	¥56120 (CNY)
700	342	378	910	840	794	Φ320	24-M27	Φ30	839	927	1661	510	22	1.0 (MPa)	¥39520 (CNY)	¥57220 (CNY)	¥68280 (CNY)	¥71000 (CNY)
800	373	413	1025	950	901	-	24-M30	Φ33	942	1030	-	579	25	0.9 (MPa)	¥52000 (CNY)	¥77500 (CNY)	¥86000 (CNY)	¥86600 (CNY)
900	430	470	1125	1050	1001	Φ550	28-M30	Φ33	1051	1139	2150	660	25		¥66500 (CNY)	¥99840 (CNY)	¥116700 (CNY)	¥119400 (CNY)
1000	485	535	1255	1160	1112	-	28-M33	Φ36	1172	1260	-	710	30	0.5 (MPa)				
1200	485	535	1485	1380	1328	-	32-M36	Φ39	1376	1464	-	820						
1400	485	535	1675	1590	1530	-	36-M39	Φ42	1565	1653	-	940						

QMC Series (QMCZ73X-10C、QMCZ73X-10P、QMCZ73X-10R、QMCZ73X-10RL)

Dimension



Material List

Material	QMCZ73X-10C	QMCZ73X-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QMCZ73X-10R	QMCZ73X-10RL
Valve Body Material	CF8M	CF3M
Gate Material	SS316L	SS316L
Stem Material	SS304	SS304
Yoke Material	SS304	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	D0	N-Th	d	t	H1	Plate Thickness	Measured Pressure	QMCZ73X-10C	QMCZ73X-10P	QMCZ73X-10R	QMCZ73X-10RL
50	48	165	125	99	220	4-M16	18	6							
65	48	185	145	118	220	8-M16	18	6							
80	51	200	160	132	240	8-M16	18	8	348	8	2.6 (MPa)	¥ 480 (CNY)	¥ 600 (CNY)	¥ 735 (CNY)	¥ 755 (CNY)
100	51	220	180	156	260	8-M16	18	8	403			¥ 570 (CNY)	¥ 865 (CNY)	¥ 1050 (CNY)	¥ 1075 (CNY)
125	57	250	210	184	280	8-M16	18	10	458			¥ 680 (CNY)	¥ 1110 (CNY)	¥ 1400 (CNY)	¥ 1430 (CNY)
150	57	285	240	211	320	8-M20	23	10	518			¥ 885 (CNY)	¥ 1440 (CNY)	¥ 1890 (CNY)	¥ 1920 (CNY)
200	70	340	295	266	350	8-M20	23	12	606	12	2.4 (MPa)	¥ 1270 (CNY)	¥ 1725 (CNY)	¥ 2260 (CNY)	¥ 2300 (CNY)
250	70	395	350	319	400	12-M20	23	14	705	14	2.1 (MPa)	¥ 2100 (CNY)	¥ 2910 (CNY)	¥ 3900 (CNY)	¥ 3950 (CNY)
300	76	445	400	370	450	12-M20	23	14	796	14	1.8 (MPa)	¥ 2400 (CNY)	¥ 3210 (CNY)	¥ 4450 (CNY)	¥ 4510 (CNY)
350	76	505	460	429	500	16-M20	23	16	911	16	1.6 (MPa)	¥ 3200 (CNY)	¥ 4340 (CNY)	¥ 5880 (CNY)	¥ 5950 (CNY)
400	89	565	515	480	500	16-M24	27	16	1003	20	1.4 (MPa)	¥ 4095 (CNY)	¥ 5565 (CNY)	¥ 7575 (CNY)	¥ 7655 (CNY)

QMC Series (QMCZ673X-10C, QMCZ673X-10P, QMCZ673X-10R, QMCZ673X-10RL)

Dimension



Material List

Material	QMC673X-10C	QMC673X-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QMCZ673X-10R	QMCZ673X-10RL
Valve Body Material	CF8M	CF3M
Gate Material	SS316L	SS316L
Stem Material	SS304	SS304
Yoke Material	SS304	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	D0	t	N-Th	T	d	H1	Plate Thickness	Measured Pressure	QMCZ673X-10C	QMCZ673X-10P	QMCZ673X-10R	QMCZ673X-10RL
50	48	165	125	99		6	4-M16	13	Φ18							
65	48	185	145	118		6	4-M16	13	Φ18							
80	51	200	160	132		8	8-M16	15	Φ18		8	2.6 (MPa)	¥ 700 (CNY)	¥ 820 (CNY)	¥ 955 (CNY)	¥ 975 (CNY)
100	51	220	180	156		8	8-M16	15	Φ18				¥ 800 (CNY)	¥ 1095 (CNY)	¥ 1280 (CNY)	¥ 1105 (CNY)
125	57	250	210	184		10	8-M16	15	Φ18				¥ 1080 (CNY)	¥ 1510 (CNY)	¥ 1800 (CNY)	¥ 1830 (CNY)
150	57	285	240	211		10	8-M20	18	Φ23				¥ 1405 (CNY)	¥ 1960 (CNY)	¥ 2410 (CNY)	¥ 2440 (CNY)
200	70	340	295	266	200	12	8-M20	18	Φ23	902	12	2.4 (MPa)	¥ 1900 (CNY)	¥ 2450 (CNY)	¥ 2980 (CNY)	¥ 3020 (CNY)
250	70	395	350	319	200	14	12-M20	18	Φ23	1053	14	2.1 (MPa)	¥ 3300 (CNY)	¥ 4210 (CNY)	¥ 5200 (CNY)	¥ 5250 (CNY)
300	76	445	400	370	250	14	12-M20	18	Φ23	1250	14	1.8 (MPa)	¥ 3700 (CNY)	¥ 4510 (CNY)	¥ 5750 (CNY)	¥ 5810 (CNY)
350	76	505	460	429	250	16	16-M20	18	Φ23	1374	16	1.6 (MPa)	¥ 4500 (CNY)	¥ 5640 (CNY)	¥ 7180 (CNY)	¥ 7250 (CNY)
400	89	565	515	480	320	16	16-M24	22	Φ27	1574	20	1.4 (MPa)	¥ 7100 (CNY)	¥ 8580 (CNY)	¥ 10600 (CNY)	¥ 10700 (CNY)
450	89	615	565	530		18	20-M24	22	Φ27		18	1.2 (MPa)	¥ 8000 (CNY)	¥ 10300 (CNY)	¥ 12800 (CNY)	¥ 13000 (CNY)
500	114	670	620	582	400	20	20-M24	22	Φ27	1759	20	1.2 (MPa)	¥ 11280 (CNY)	¥ 16500 (CNY)	¥ 19600 (CNY)	¥ 19860 (CNY)
600	114	780	725	682		22	20-M27	27	Φ30		22	1.0 (MPa)				

QMC Series (QMCZ573X-10C、QMCZ573X-10P、QMCZ573X-10R、QMCZ573X-10RL)

Dimension



Material List

Material	QMCZ573X-16C	QMCZ573X-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QMCZ573X-10R	QMCZ573X-10RL
Valve Body Material	CF8M	CF3M
Gate Material	SS316L	SS316L
Stem Material	SS304	SS304
Yoke Material	SS304	SS304

unit:mm


Knife Gate Valve Quotation

DN	L	D	D1	D2	t	N-Th	T	d	H1	Plate Thickness	Measured Pressure	QMCZ573X-16C	QMCZ573X-10P	QMCZ573X-10R	QMCZ573X-10RL
50	48	165	125	99	6	4-M16	13	Φ19							
65	48	185	145	118	6	4-M16	13	Φ19							
80	51	200	160	132	8	8-M16	15	Φ19		8	2.6 (MPa)	¥ 930 (CNY)	¥ 1050 (CNY)	¥ 1185 (CNY)	¥ 1205 (CNY)
100	51	220	180	156	8	8-M16	15	Φ19				¥ 1020 (CNY)	¥ 1315 (CNY)	¥ 1500 (CNY)	¥ 1525 (CNY)
125	57	250	210	184	10	8-M16	15	Φ19				¥ 1100 (CNY)	¥ 1560 (CNY)	¥ 1850 (CNY)	¥ 1890 (CNY)
150	57	285	240	211	10	8-M20	18	Φ23				¥ 1550 (CNY)	¥ 1935 (CNY)	¥ 2315 (CNY)	¥ 2345 (CNY)
200	70	340	295	266	12	8-M20	18	Φ23		12	2.4 (MPa)	¥ 1730 (CNY)	¥ 2175 (CNY)	¥ 2710 (CNY)	¥ 2750 (CNY)
250	70	395	350	319	14	12-M20	18	Φ23		14	2.1 (MPa)	¥ 2550 (CNY)	¥ 3360 (CNY)	¥ 4350 (CNY)	¥ 4400 (CNY)
300	76	445	400	370	14	12-M20	18	Φ23	648	14	1.8 (MPa)	¥ 2850 (CNY)	¥ 3660 (CNY)	¥ 4900 (CNY)	¥ 4960 (CNY)
350	76	505	460	429	16	16-M20	18	Φ23	739	16	1.6 (MPa)	¥ 3720 (CNY)	¥ 4860 (CNY)	¥ 6400 (CNY)	¥ 6470 (CNY)
400	89	565	515	480	16	16-M24	22	Φ27	872	20	1.4 (MPa)	¥ 4620 (CNY)	¥ 6085 (CNY)	¥ 8095 (CNY)	¥ 8210 (CNY)
450	89	615	565	530	18	20-M24	22	Φ27	950	18	1.2 (MPa)	¥ 4800 (CNY)	¥ 7100 (CNY)	¥ 9600 (CNY)	¥ 9800 (CNY)
500	114	670	620	582	20	20-M24	22	Φ27		20	1.2 (MPa)	¥ 6900 (CNY)	¥ 11400 (CNY)	¥ 14750 (CNY)	¥ 15000 (CNY)
600	114	780	725	682	22	20-M27	27	Φ30		22	1.0 (MPa)	¥ 9600 (CNY)	¥ 16500 (CNY)	¥ 21300 (CNY)	¥ 21600 (CNY)
700(PN10)	127	895	840	794		24-M27	27	Φ30				¥ 18000 (CNY)	¥ 28200 (CNY)	¥ 38200 (CNY)	¥ 38600 (CNY)
700(PN16)	127	895	840	794		24-M27	27	Φ30				¥ 20800 (CNY)	¥ 33800 (CNY)	¥ 44000 (CNY)	¥ 44700 (CNY)
800	127	1015	950	901		24-M30	30	Φ33				¥ 23400 (CNY)	¥ 38400 (CNY)	¥ 51000 (CNY)	¥ 51700 (CNY)
900	127	1115	1050	1001		28-M30	30	Φ33				¥ 35800 (CNY)	¥ 55800 (CNY)	¥ 70000 (CNY)	¥ 71000 (CNY)
1000	149	1230	1160	1112		28-M33	33	Φ36				¥ 50400 (CNY)	¥ 81600 (CNY)	¥ 102000 (CNY)	¥ 105000 (CNY)

QMC Series (QMCZ973X-10C、QMCZ973X-10P、QMCZ973X-10R、QMCZ973X-10RL)

Dimension

Material List



Material	QMCZ973X-10C	QMCZ973X-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QMCZ973X-10R	QMCZ973X-10RL
Valve Body Material	CF8M	CF3M
Gate Material	SS316L	SS316L
Stem Material	SS304	SS304
Yoke Material	SS304	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	t	N-Th	T	d	H1	Plate Thickness	Measured Pressure	QMCZ973X-10C (Non-electrically actuated)	QMCZ973X-10P (Non-electrically actuated)	QMCZ973X-10R (Non-electrically actuated)	QMCZ973X-10RL (Non-electrically actuated)
50	48	165	125	99	6	4-M16	13	Φ18							
65	48	185	145	118	6	4-M16	13	Φ18							
80	51	200	160	132	8	8-M16	15	Φ18		8	2.6 (MPa)	¥ 530 (CNY)	¥ 650 (CNY)	¥ 785 (CNY)	¥ 805 (CNY)
100	51	220	180	156	8	8-M16	15	Φ18				¥ 615 (CNY)	¥ 915 (CNY)	¥ 1100 (CNY)	¥ 1125 (CNY)
125	57	250	210	184	10	8-M16	15	Φ18				¥ 730 (CNY)	¥ 1160 (CNY)	¥ 1450 (CNY)	¥ 1480 (CNY)
150	57	285	240	211	10	8-M20	18	Φ23				¥ 1100 (CNY)	¥ 1485 (CNY)	¥ 1870 (CNY)	¥ 1900 (CNY)
200	70	340	295	266	12	8-M20	18	Φ23		12	2.4 (MPa)	¥ 1370 (CNY)	¥ 1825 (CNY)	¥ 2360 (CNY)	¥ 2400 (CNY)
250	70	395	350	319	14	12-M20	18	Φ23	648	14	2.1 (MPa)	¥ 2200 (CNY)	¥ 3010 (CNY)	¥ 4000 (CNY)	¥ 4050 (CNY)
300	76	445	400	370	14	12-M20	18	Φ23	739	14	1.8 (MPa)	¥ 2500 (CNY)	¥ 3310 (CNY)	¥ 4550 (CNY)	¥ 4610 (CNY)
350	76	505	460	429	16	16-M20	18	Φ23	780	16	1.6 (MPa)	¥ 3300 (CNY)	¥ 4440 (CNY)	¥ 5980 (CNY)	¥ 6050 (CNY)
400	89	565	515	480	16	16-M24	22	Φ27	872	20	1.4 (MPa)	¥ 4195 (CNY)	¥ 5665 (CNY)	¥ 7675 (CNY)	¥ 7755 (CNY)
450	89	615	565	530	18	20-M24	22	Φ27	950	18	1.2 (MPa)	¥ 4660 (CNY)	¥ 6990 (CNY)	¥ 9390 (CNY)	¥ 9590 (CNY)
500	114	670	620	582	20	20-M24	22	Φ27		20	1.2 (MPa)	¥ 6500 (CNY)	¥ 11000 (CNY)	¥ 14350 (CNY)	¥ 14600 (CNY)
600	114	780	725	682	22	20-M27	27	Φ30		22	1.0 (MPa)	¥ 9100 (CNY)	¥ 16000 (CNY)	¥ 20800 (CNY)	¥ 21500 (CNY)
700(PN10)	127	895	840	794		24-M27	27	Φ30				¥ 17300 (CNY)	¥ 27500 (CNY)	¥ 37500 (CNY)	¥ 37900 (CNY)
700(PN16)	127	895	840	794		24-M27	27	Φ30				¥ 20100 (CNY)	¥ 33100 (CNY)	¥ 43300 (CNY)	¥ 44000 (CNY)
800	127	1015	950	901		24-M30	30	Φ33				¥ 22600 (CNY)	¥ 37600 (CNY)	¥ 50200 (CNY)	¥ 50900 (CNY)
900	127	1115	1015	1001		28-M30	30	Φ33				¥ 34800 (CNY)	¥ 54800 (CNY)	¥ 69000 (CNY)	¥ 70000 (CNY)
1000	149	1230	1160	1112		28-M33	33	Φ36				¥ 49200 (CNY)	¥ 80400 (CNY)	¥ 101200 (CNY)	¥ 103800 (CNY)

QMC Series (QMCZ973X-10C、QMCZ973X-10P、QMCZ973X-10R、QMCZ973X-10RL)

Dimension



Material List

Material	QMCZ973X-10C	QMCZ973X-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QMCZ973X-10R	QMCZ973X-10RL
Valve Body Material	CF8M	CF3M
Gate Material	SS316L	SS316L
Stem Material	SS304	SS304
Yoke Material	SS304	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	t	N-Th	T	d	H1	Plate Thickness	Measured Pressure	QMCZ973X-10C (electrically actuated)	QMCZ973X-10P (electrically actuated)	QMCZ973X-10R (electrically actuated)	QMCZ973X-10RL (electrically actuated)
50	48	165	125	99	6	4-M16	13	Φ19							
65	48	185	145	118	6	4-M16	13	Φ19							
80	51	200	160	132	8	8-M16	15	Φ19		8	2.6 (MPa)	¥ 2180 (CNY)	¥ 2300 (CNY)	¥ 2435 (CNY)	¥ 2455 (CNY)
100	51	220	180	156	8	8-M16	15	Φ19				¥ 2265 (CNY)	¥ 2565 (CNY)	¥ 2750 (CNY)	¥ 2775 (CNY)
125	57	250	210	184	10	8-M16	15	Φ19				¥ 2380 (CNY)	¥ 2810 (CNY)	¥ 3100 (CNY)	¥ 3130 (CNY)
150	57	285	240	211	10	8-M20	18	Φ23				¥ 2720 (CNY)	¥ 3100 (CNY)	¥ 3490 (CNY)	¥ 3520 (CNY)
200	70	340	295	266	12	8-M20	18	Φ23		12	2.4 (MPa)	¥ 3150 (CNY)	¥ 3600 (CNY)	¥ 4135 (CNY)	¥ 4175 (CNY)
250	70	395	350	319	14	12-M20	18	Φ23		14	2.1 (MPa)	¥ 3975 (CNY)	¥ 4785 (CNY)	¥ 5775 (CNY)	¥ 5825 (CNY)
300	76	445	400	370	14	12-M20	18	Φ23	648	14	1.8 (MPa)	¥ 4275 (CNY)	¥ 5085 (CNY)	¥ 6325 (CNY)	¥ 6385 (CNY)
350	76	505	460	429	16	16-M20	18	Φ23	739	16	1.6 (MPa)	¥ 5075 (CNY)	¥ 6215 (CNY)	¥ 7755 (CNY)	¥ 7825 (CNY)
400	89	565	515	480	16	16-M24	22	Φ27	872	20	1.4 (MPa)	¥ 5970 (CNY)	¥ 7440 (CNY)	¥ 9450 (CNY)	¥ 9530 (CNY)
450	89	615	565	530	18	20-M24	22	Φ27	950	18	1.2 (MPa)	¥ 7350 (CNY)	¥ 9685 (CNY)	¥ 12085 (CNY)	¥ 12285 (CNY)
500	114	670	620	582	20	20-M24	22	Φ27		20	1.2 (MPa)	¥ 9500 (CNY)	¥ 14000 (CNY)	¥ 17350 (CNY)	¥ 17600 (CNY)
600	114	780	725	682	22	20-M27	27	Φ30		22	1.0 (MPa)	¥ 12100 (CNY)	¥ 19000 (CNY)	¥ 23800 (CNY)	¥ 24500 (CNY)
700(PN10)	127	895	840	794		24-M27	27	Φ30				¥ 21300 (CNY)	¥ 31500 (CNY)	¥ 41500 (CNY)	¥ 41900 (CNY)
700(PN16)	127	895	840	794		24-M27	27	Φ30				¥ 24100 (CNY)	¥ 37100 (CNY)	¥ 47300 (CNY)	¥ 48000 (CNY)
800	127	1015	950	901		24-M30	30	Φ33				¥ 26600 (CNY)	¥ 41600 (CNY)	¥ 54200 (CNY)	¥ 54900 (CNY)
900	127	1115	1050	1001		28-M30	30	Φ33				¥ 39300 (CNY)	¥ 59300 (CNY)	¥ 73500 (CNY)	¥ 74500 (CNY)
1000	149	1230	1160	1112		28-M33	33	Φ36				¥ 54200 (CNY)	¥ 85400 (CNY)	¥ 106200 (CNY)	¥ 1093800 (CNY)

QJ Series (QJZ73X-10G)

Dimension



Material List

Material	QJZ73X-10G
Valve Body Material	GGG40
Gate Material	SS304
Stem Material	2Cr13
Yoke Material	Q235


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	D0	N-Th	T	d	H1	Plate Thickness	Measured Pressure	QJZ73X-10G
50	52	165	125	99	180	4-M16	12	Φ18	265			¥ 355 (CNY)
65	52	185	145	118	200	4-M16	12	Φ18	290			¥ 380 (CNY)
80	55	200	160	132	200	8-M16	12	Φ18	330			¥ 435 (CNY)
90	55	210	170	142	220	8-M16	12	Φ18	345			¥ 485 (CNY)
100	55	220	180	156	240	8-M16	12	Φ18	360			¥ 600 (CNY)
125	61	250	210	184	260	8-M16	12	Φ18	400			¥ 750 (CNY)
150	61	285	240	211	280	8-M20	14	Φ23	450			¥ 1035 (CNY)
175	61	305	265	237	280	12-M20	14	Φ23	490			¥ 1450 (CNY)
200	74	340	295	266	300	8-M20	16	Φ23	530			¥ 1830 (CNY)
225	74	350	310	282	300	12-M20	16	Φ23	595			¥ 2345 (CNY)
250	74	395	350	319	320	12-M20	16	Φ23	660			¥ 3770 (CNY)
300	80	445	400	370	350	12-M20	16	Φ23	760			
350	80	505	460	429	400	16-M20	18	Φ23	850			
400	93	565	515	480	450	16-M24	20	Φ27	940			

QJ Series(QJZ673X-10Q)

Dimension



Material List

Material QJZ673X-10Q

Valve Body Material	GGG40
Gate Material	SS304
Stem Material	2Cr13
Yoke Material	Q235


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	D0	N-Th	T	d	H1	Plate Thickness	Measured Pressure	QJZ673X-10Q
50	52	165	125	99	100	4-M16	12	Φ18	413			¥ 490 (CNY)
65	52	185	145	118	100	4-M16	12	Φ18	455			¥ 525 (CNY)
80	55	200	160	132	125	8-M16	12	Φ18	500			¥ 710 (CNY)
90	55	210	170	142	125	8-M16	12	Φ18	529			¥ 785 (CNY)
100	55	220	180	156	125	8-M16	12	Φ18	557			¥ 860 (CNY)
125	61	250	210	184	125	8-M16	12	Φ18	624			¥ 1250 (CNY)
150	61	285	240	211	160	8-M20	14	Φ23	733			¥ 1555 (CNY)
175	61	305	265	237	160	12-M20	14	Φ23	799			¥ 2450 (CNY)
200	74	340	295	266	160	8-M20	16	Φ23	864			¥ 2920 (CNY)
225	74	350	310	282	160	12-M20	16	Φ23	979			¥ 3435 (CNY)
250	74	395	350	319	200	12-M20	16	Φ23	1070			¥ 7415 (CNY)
300	80	445	400	370	200	12-M20	16	Φ23	1220			
350	80	505	460	429	250	16-M20	18	Φ23	1358			
400	93	565	515	480	320	16-M24	20	Φ27	1518			

QJ Series (QJZ573X-10Q)

Dimension



Material List

Material	QJZ573X-10Q
Valve Body Material	GGG40
Gate Material	SS304
Stem Material	2Cr13
Yoke Material	Q235


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	D0	N-Th	T	d	H1	Plate Thickness	Measured Pressure	QJZ573X-10Q
50	52	165	125	99	250	4-M16	12	Φ18	369			¥ 880 (CNY)
65	52	185	145	118	250	4-M16	12	Φ18	396			¥ 905 (CNY)
80	55	200	160	132	250	8-M16	12	Φ18	425			¥ 950 (CNY)
100	55	220	180	156	250	8-M16	12	Φ18	462			¥ 1010 (CNY)
125	61	250	210	184	250	8-M16	12	Φ18	505			¥ 1110 (CNY)
150	61	285	240	211	250	8-M20	14	Φ23	559			¥ 1280 (CNY)
200	74	340	295	266	250	8-M20	16	Φ23	641			¥ 1590 (CNY)
250	74	395	350	319	250	12-M20	16	Φ23	783			¥ 1995 (CNY)
300	80	445	400	370	250	12-M20	16	Φ23	883			¥ 2325 (CNY)
350	80	505	460	429	300	16-M20	18	Φ23	980			¥ 2960 (CNY)
400	93	565	515	480	300	16-M24	20	Φ27	1090			¥ 4465 (CNY)

QJ Series (QJZ973X-10Q)

Dimension



Material List


Material QJZ973X-10Q

Valve Body Material	GGG40
Gate Material	SS304
Stem Material	2Cr13
Yoke Material	Q235

unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	D0	N-Th	T	d	H1	Plate Thickness	Measured Pressure	QJZ973X-10Q
50	52	165	125	99	365	4-M16	12	Φ18	395			¥ 430 (CNY)
65	52	185	145	118	365	4-M16	12	Φ18	422			¥ 460 (CNY)
80	55	200	160	132	365	8-M16	12	Φ18	451			¥ 505 (CNY)
100	55	220	180	156	365	8-M16	12	Φ18	488			¥ 570 (CNY)
125	61	250	210	184	365	8-M16	12	Φ18	531			¥ 670 (CNY)
150	61	285	240	211	365	8-M20	14	Φ23	585			¥ 840 (CNY)
200	74	340	295	266	365	8-M20	16	Φ23	667			¥ 1125 (CNY)
250	74	395	350	319	365	12-M20	16	Φ23	800			¥ 1630 (CNY)
300	80	445	400	370	365	12-M20	16	Φ23	900			¥ 2035 (CNY)
350	80	505	460	429	365	16-M20	18	Φ23	986			¥ 2625 (CNY)
400	93	565	515	480	365	16-M24	20	Φ27	1096			¥ 3865 (CNY)

QMG Series (QMGZ73X-10Q、QMGZ73X-10P、QMGZ73X-10R、QMGZ73X-10RL)
Dimension
Material List


Material	QMGZ73X-10Q	QMGZ73X-10P
Valve Body Material	GGG40	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QMGZ73X-10R	QMGZ73X-10RL
Valve Body Material	CF8M	CF3M
Gate Material	SS316L	SS316L
Stem Material	SS304	SS304
Yoke Material	SS304	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	N-Th	D0	H1	Plate Thickness	Measured Pressure	QMGZ73X-10Q	QMGZ73X-10P	QMGZ73X-10R	QMGZ73X-10RL
50	41	165	125	99	4-M16	200	268			¥ 325 (CNY)	¥ 530 (CNY)	¥ 580 (CNY)	¥ 595 (CNY)
65	41	185	145	118	4-M16	200	299			¥ 395 (CNY)	¥ 665 (CNY)	¥ 725 (CNY)	¥ 745 (CNY)
80	51	200	160	132	8-M16	220	307			¥ 420 (CNY)	¥ 700 (CNY)	¥ 775 (CNY)	¥ 800 (CNY)
100	51	220	180	156	8-M16	240	352			¥ 480 (CNY)	¥ 770 (CNY)	¥ 860 (CNY)	¥ 885 (CNY)
125	51	250	210	184	8-M16	260	421			¥ 560 (CNY)	¥ 1015 (CNY)	¥ 1150 (CNY)	¥ 1190 (CNY)
150	61	285	240	211	8-M20	280	497			¥ 810 (CNY)	¥ 1415 (CNY)	¥ 1630 (CNY)	¥ 1685 (CNY)
200	61	340	295	266	8-M20	300	588			¥ 1005 (CNY)	¥ 1950 (CNY)	¥ 2270 (CNY)	¥ 2350 (CNY)
250	70.5	395	350	319	12-M20	320				¥ 1350 (CNY)	¥ 2675 (CNY)	¥ 3165 (CNY)	¥ 3400 (CNY)
300	70.5	445	400	370	12-M20	350				¥ 1900 (CNY)	¥ 3850 (CNY)	¥ 4545 (CNY)	¥ 4660 (CNY)
350	80.5	505	460	429	16-M20	400				¥ 2580 (CNY)	¥ 5090 (CNY)	¥ 6585 (CNY)	¥ 6825 (CNY)
400	80.5	565	515	480	16-M24	450				¥ 2860 (CNY)	¥ 6175 (CNY)	¥ 7580 (CNY)	¥ 8000 (CNY)

QH Series (QH6Q3H-10C、QH6Q3H-10P、QH6Q3H-10R)

Dimension



Material List

Material	QH6Q3H-10C	QH6Q3H-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material QH6Q3H-10R

Valve Body Material	CF8M
Gate Material	SS316L
Stem Material	SS304
Yoke Material	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	A1	B1	A2	B2	A1-n-d	B1-n-d	D0	H1	Plate Thickness	Measured Pressure	QH6Q3H-10C	QH6Q3H-10P	QH6Q3H-10R
100×100	80	162	162	190	190	3-M10	3-M10	80	384			¥ 1600 (CNY)	¥ 2130 (CNY)	¥ 2565 (CNY)
125×125	80	187	187	215	215	3-M10	3-M10	80	449			¥ 1700 (CNY)	¥ 2290 (CNY)	¥ 2825 (CNY)
150×150	80	212	212	240	240	3-M10	3-M10	100	490			¥ 1850 (CNY)	¥ 2510 (CNY)	¥ 3140 (CNY)
200×200	80	262	262	290	290	3-M10	3-M10	100	571			¥ 2180 (CNY)	¥ 3010 (CNY)	¥ 3840 (CNY)
250×250	80	312	312	340	340	4-M10	4-M10	125	662			¥ 2430 (CNY)	¥ 3470 (CNY)	¥ 4530 (CNY)
300×300	80	362	362	390	390	4-M10	4-M10	125	758			¥ 2600 (CNY)	¥ 3720 (CNY)	¥ 4890 (CNY)
350×350	100	418	418	450	450	4-M12	4-M12	125	884			¥ 3120 (CNY)	¥ 4960 (CNY)	¥ 6890 (CNY)
400×400	100	468	468	500	500	4-M12	4-M12	125	986			¥ 3350 (CNY)	¥ 5320 (CNY)	¥ 7410 (CNY)
450×450	100	518	518	550	550	5-M12	5-M12	125	1091			¥ 3560 (CNY)	¥ 5600 (CNY)	¥ 7910 (CNY)
500×500	100	568	568	600	600	5-M12	5-M12	160	1218			¥ 6430 (CNY)	¥ 8520 (CNY)	¥ 11025 (CNY)
800×800	120	874	874	906	906	7-M14	7-M14	160×2	1867			¥ 7150 (CNY)	¥ 13820 (CNY)	¥ 15170 (CNY)
900×900	140	984	984	1016	1016	7-M14	7-M14	160×2	2072			¥ 13200 (CNY)	¥ 22560 (CNY)	¥ 33130 (CNY)
950×950	140	1034	1034	1066	1066	8-M14	8-M14	160×2	2172			¥ 13900 (CNY)	¥ 23880 (CNY)	¥ 35180 (CNY)
1000×1000	140	1084	1084	1120	1120	8-M14	8-M14	160×2	2270			¥ 15000 (CNY)	¥ 24790 (CNY)	¥ 36500 (CNY)
1050×1050	140	1134	1134	1166	1166	8-M14	8-M14		3500			¥ 15360 (CNY)	¥ 26340 (CNY)	¥ 38760 (CNY)
1100×1100	140	1168	1168	1216	1216	9-M14	9-M14		3600			¥ 16100 (CNY)	¥ 27740 (CNY)	¥ 41180 (CNY)
1150×1150	140	1218	1218	1266	1266	9-M14	9-M14		3712			¥ 16800 (CNY)	¥ 29010 (CNY)	¥ 43280 (CNY)
1400×1400	160	1490	1490			10-M16	10-M16		4700			¥ 26230 (CNY)	¥ 40350 (CNY)	¥ 58040 (CNY)
1450×1450	160	1540	1540			10-M16	10-M16		4820			¥ 28520 (CNY)	¥ 42630 (CNY)	¥ 61530 (CNY)
1500×1500	180	1600	1600	1640	1640	10-M18	10-M18		5000			¥ 30560 (CNY)	¥ 46860 (CNY)	¥ 68400 (CNY)
1550×1550	180	1650	1650	1690	1690	10-M18	10-M18		5150			¥ 34300 (CNY)	¥ 51180 (CNY)	¥ 71650 (CNY)

QCA Series (QCAZ74X-10C、QCAZ74X-10P、QCAZ74X-10RL)

Dimension



Material List

Material	QCAZ74X-10C	QCAZ74X-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QCAZ74X-10RL
Valve Body Material	CF3M
Gate Material	SS316L
Stem Material	SS304
Yoke Material	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	N-Th	T	H1	Plate Thickness	Measured Pressure	QCAZ74X-10C	QCAZ74X-10P	QCAZ74X-10RL
50	48	165	125	99	4-M16	12	283					
65	48	185	145	118	4-M16	12						
80	51	200	160	132	8-M16	12	385					
90	51	210	170	142	8-M16	12						
100	51	220	180	156	8-M16	12	447	8	1.6 (MPa)	¥ 900 (CNY)	¥ 1680 (CNY)	¥ 2050 (CNY)
125	57	250	210	184	8-M16	12	510			¥ 1200 (CNY)	¥ 1860 (CNY)	¥ 2400 (CNY)
150	57	285	240	211	8-M20	14	586	8	2.0 (MPa)	¥ 1560 (CNY)	¥ 2600 (CNY)	¥ 3240 (CNY)
200	70	340	295	266	8-M20	16	721	12	1.4 (MPa)	¥ 2400 (CNY)	¥ 4200 (CNY)	¥ 5350 (CNY)
250	70	395	350	319	12-M20	16	894	14	2.4 (MPa)	¥ 3600 (CNY)	¥ 6600 (CNY)	¥ 9050 (CNY)
300	76	445	400	370	12-M20	16	1018			¥ 4400 (CNY)	¥ 8800 (CNY)	¥ 11500 (CNY)
350	76	505	460	429	16-M20	18	1148	16	1.0 (MPa)	¥ 5760 (CNY)	¥ 11300 (CNY)	¥ 16200 (CNY)
400	89	565	515	480	16-M24	20		16	0.8 (MPa)	¥ 7500 (CNY)	¥ 15300 (CNY)	¥ 21300 (CNY)

QCA Series (QCAZ674X-10C, QCAZ674X-10P, QCAZ674X-10RL)

Dimension



Material List

Material	QCAZ674X-10C	QCAZ674X-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QCAZ674X-10RL
Valve Body Material	CF3M
Gate Material	SS316L
Stem Material	SS304
Yoke Material	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	N-Th	T	H1	Plate Thickness	Measured Pressure	QCAZ674X-10C	QCAZ674X-10P	QCAZ674X-10RL
50	48	165	125	99	4-M16	12						
65	48	185	145	118	4-M16	12						
80	51	200	160	132	8-M16	12	368					
100	51	220	180	156	8-M16	12	428	8	1.6 (MPa)	¥ 1350 (CNY)	¥ 2160 (CNY)	¥ 2545 (CNY)
125	57	250	210	184	8-M16	12	484			¥ 1800 (CNY)	¥ 2760 (CNY)	¥ 3260 (CNY)
150	57	285	240	211	8-M20	14	553	8	2.0 (MPa)	¥ 1980 (CNY)	¥ 3120 (CNY)	¥ 3750 (CNY)
200	70	340	295	266	8-M20	16	727	12	1.4 (MPa)	¥ 3600 (CNY)	¥ 5580 (CNY)	¥ 6850 (CNY)
250	70	395	350	319	12-M20	16	880	14	2.4 (MPa)	¥ 4560 (CNY)	¥ 7920 (CNY)	¥ 10300 (CNY)
300	76	445	400	370	12-M20	16	1060			¥ 7800 (CNY)	¥ 12700 (CNY)	¥ 16030 (CNY)
350	76	505	460	429	16-M20	18	1183	16	1.0 (MPa)	¥ 9500 (CNY)	¥ 15500 (CNY)	¥ 20330 (CNY)
400	89	565	515	480	16-M24	20	1335	16	0.8 (MPa)	¥ 12000 (CNY)	¥ 19800 (CNY)	¥ 25830 (CNY)

QCA Series (QCAZ574X-10C、QCAZ574X-10P、QCAZ574X-10RL)

Dimension



Material List

Material	QCAZ574X-10C	QCAZ574X-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material QCAZ574X-10RL

Valve Body Material	CF3M
Gate Material	SS316L
Stem Material	SS304
Yoke Material	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	D0	N-Th	T	H1	H2	Plate Thickness	Measured Pressure	QCAZ574X-10C	QCAZ574X-10P	QCAZ574X-10RL
50	48	165	125	99	365	4-M16	12	251	188					
65	48	185	145	118	365	4-M16	12							
80	51	200	160	132	365	8-M16	12	307	227					
100	51	220	180	156	365	8-M16	12	346	264	8	1.6 (MPa)	¥ 1430 (CNY)	¥ 2210 (CNY)	¥ 2580 (CNY)
125	57	250	210	184	365	8-M16	12					¥ 1730 (CNY)	¥ 2390 (CNY)	¥ 2930 (CNY)
150	57	285	240	211	365	8-M20	14	439	341	8	2.0 (MPa)	¥ 2090 (CNY)	¥ 3130 (CNY)	¥ 3770 (CNY)
200	70	340	295	266	365	8-M20	16	517	422	12	1.4 (MPa)	¥ 2950 (CNY)	¥ 4750 (CNY)	¥ 5900 (CNY)
250	70	395	350	319	365	12-M20	16	619	505	14	2.4 (MPa)	¥ 4150 (CNY)	¥ 7150 (CNY)	¥ 9600 (CNY)
300	76	445	400	370	365	12-M20	16	715	615			¥ 4950 (CNY)	¥ 9350 (CNY)	¥ 12050 (CNY)
350	76	505	460	429	365	16-M20	18	788	689	16	1.0 (MPa)	¥ 6360 (CNY)	¥ 11900 (CNY)	¥ 16800 (CNY)
400	89	565	515	480	365	16-M24	20			16	0.8 (MPa)	¥ 8100 (CNY)	¥ 15900 (CNY)	¥ 21900 (CNY)
450												¥ 11200 (CNY)	¥ 19660 (CNY)	¥ 26750 (CNY)
500												¥ 14900 (CNY)	¥ 27200 (CNY)	¥ 37600 (CNY)
600												¥ 22900 (CNY)	¥ 44650 (CNY)	¥ 58400 (CNY)
700												¥ 34500 (CNY)	¥ 66800 (CNY)	¥ 93400 (CNY)
800														
900														
1000														

QCA Series (QCAZ274X-10C, QCAZ274X-10P, QCAZ274X-10RL)

Dimension



Material List


Material	QCAZ274X-10C	QCAZ274X-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QCAZ274X-10RL
Valve Body Material	CF3M
Gate Material	SS316L
Stem Material	SS304
Yoke Material	SS304

unit:mm

Knife Gate Valve Quotation

DN	L	D	D1	D2	D0	N-Th	d	H1	H2	Plate Thickness	Measured Pressure	QCAZ274X-10C	QCAZ274X-10P	QCAZ274X-10RL
100	51	220	180	156		8-M16	Φ18			8	1.6 (MPa)	¥ 1320 (CNY)	¥ 2100 (CNY)	¥ 2470 (CNY)
125	57	250	210	184		8-M16	Φ18					¥ 1620 (CNY)	¥ 2280 (CNY)	¥ 2820 (CNY)
150	57	285	240	211		8-M20	Φ23			8	2.0 (MPa)	¥ 1980 (CNY)	¥ 3020 (CNY)	¥ 3660 (CNY)
200	70	340	295	266		8-M20	Φ23			12	1.4 (MPa)	¥ 2820 (CNY)	¥ 4620 (CNY)	¥ 5770 (CNY)
250	70	395	350	319		12-M20	Φ23			14	2.4 (MPa)	¥ 4020 (CNY)	¥ 7020 (CNY)	¥ 9470 (CNY)
300	76	445	400	370		12-M20	Φ23					¥ 5200 (CNY)	¥ 9600 (CNY)	¥ 12300 (CNY)
350	76	505	460	429		16-M20	Φ23			16	1.0 (MPa)	¥ 6760 (CNY)	¥ 12300 (CNY)	¥ 17200 (CNY)
400	89	565	515	480		16-M24	Φ27			16	0.8 (MPa)	¥ 8700 (CNY)	¥ 16500 (CNY)	¥ 22500 (CNY)
450	89	615	565	530	Φ80	20-M24	Φ27	1524	1380			¥ 11400 (CNY)	¥ 19860 (CNY)	¥ 26950 (CNY)
500	114	670	620	582	Φ80	20-M24	Φ27	1688	1520			¥ 15150 (CNY)	¥ 27500 (CNY)	¥ 37900 (CNY)
600	114	780	725	682	Φ100	20-M27	Φ30	2527	1245			¥ 23520 (CNY)	¥ 45250 (CNY)	¥ 59000 (CNY)
700	127	895	840	794	Φ100	24-M27	Φ30	2906	1410			¥ 35100 (CNY)	¥ 67400 (CNY)	¥ 94000 (CNY)
800	127	1015	950	901	Φ110	24-M30	Φ33	3281	1575			¥ 52800 (CNY)	¥ 93400 (CNY)	¥ 130600 (CNY)
900	127	1115	1050	1001		28-M30	Φ33							
1000	149	1230	1160	1112		28-M33	Φ36							

QWF Series (QWFZ73NM-10C、QWFZ73NM-10P、QWFZ73NM-10RL)
Dimension

Material List


Material	QWFZ73NM-10C	QWFZ73NM-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QWFZ73NM-10RL
Valve Body Material	CF3M
Gate Material	SS316L
Stem Material	SS304
Yoke Material	SS304

unit:mm

Knife Gate Valve Quotation

DN	L	L1	D	D1	D2	N-Th	S1	S2	H1	Plate Thickness	Measured Pressure	QWFZ73NM-10C	QWFZ73NM-10P	QWFZ73NM-10RL
50	53	55	165	125	99	4-M16	170	258						
65	53	55	185	145	118	4-M16								
80	57	59	200	160	132	8-M16	200	288	465			¥ 1180 (CNY)	¥ 1450 (CNY)	¥ 1700 (CNY)
100	57	59	220	180	156	8-M16	220	308	508	6	1.6 (MPa)	¥ 1280 (CNY)	¥ 1600 (CNY)	¥ 1920 (CNY)
125	62	64	250	210	184	8-M16	245	333	560	6		¥ 1530 (CNY)	¥ 2000 (CNY)	¥ 2650 (CNY)
150	61	63	285	240	211	8-M20	267	355	620	8	1.6 (MPa)	¥ 1845 (CNY)	¥ 2400 (CNY)	¥ 2980 (CNY)
200	75	77	340	295	266	8-M20	318	406	707	8		¥ 2050 (CNY)	¥ 2955 (CNY)	¥ 3950 (CNY)
250	75	77	395	350	319	12-M20	370	458	821	10	1.5 (MPa)	¥ 2550 (CNY)	¥ 4100 (CNY)	¥ 5260 (CNY)
300	82	85	445	400	370	12-M20	425	513	897	10	1.1 (MPa)	¥ 3810 (CNY)	¥ 5355 (CNY)	¥ 7200 (CNY)
350	82	85	505	460	429	16-M20	485	573	1010	10	0.8 (MPa)	¥ 4550 (CNY)	¥ 6800 (CNY)	¥ 8160 (CNY)
400	93	94	565	515	480	16-M24	535	623	1098	12		¥ 5380 (CNY)	¥ 7800 (CNY)	¥ 9800 (CNY)

QWF Series (QWFZ973NM-10C、QWFZ973NM-10P、QWFZ973NM-10R)
Dimension

Material List
Material QWFZ973NM-10C QWFZ973NM-10P

Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304


Material QWFZ973NM-10R

Valve Body Material	CF8M
Gate Material	SS316L
Stem Material	SS304
Yoke Material	SS304

unit:mm

Knife Gate Valve Quotation

DN	L	L1	D	D1	D2	N-Th	S1	S2	H1	H2	Plate Thickness	Measured Pressure	QWFZ973NM-10C (Non-electrically actuated)	QWFZ973NM-10P (Non-electrically actuated)	QWFZ973NM-10R (Non-electrically actuated)
50	53	55	165	125	99	4-M16	170	258		142					
65	53	55	185	145	118	4-M16									
80	57	59	200	160	132	8-M16	200	288		154			¥ 2830 (CNY)	¥ 3100 (CNY)	¥ 3350 (CNY)
100	57	59	220	180	156	8-M16	220	308	476	173	6	1.6 (MPa)	¥ 2930 (CNY)	¥ 3250 (CNY)	¥ 3570 (CNY)
125	62	64	250	210	184	8-M16	245	333		186	6		¥ 3180 (CNY)	¥ 3650 (CNY)	¥ 4300 (CNY)
150	61	63	285	240	211	8-M20	267	355		204	8	1.6 (MPa)	¥ 3495 (CNY)	¥ 4050 (CNY)	¥ 4630 (CNY)
200	75	77	340	295	266	8-M20	318	406	666	246	8		¥ 3700 (CNY)	¥ 4605 (CNY)	¥ 5600 (CNY)
250	75	77	395	350	319	12-M20	370	458		275	10	1.5 (MPa)	¥ 4325 (CNY)	¥ 5875 (CNY)	¥ 7035 (CNY)
300	82	85	445	400	370	12-M20	425	513	681	315	10	1.1 (MPa)	¥ 5585 (CNY)	¥ 7130 (CNY)	¥ 8975 (CNY)
350	82	85	505	460	429	16-M20	485	573	964	344	10	0.8 (MPa)	¥ 6330 (CNY)	¥ 8575 (CNY)	¥ 9935 (CNY)
400	93	94	565	515	480	16-M24	535	623	1058	384	12		¥ 7155 (CNY)	¥ 9575 (CNY)	¥ 10775 (CNY)
450	95	98	615	565	530	20-M24	595	683		407	12		¥ 7830 (CNY)	¥ 10875 (CNY)	¥ 13475 (CNY)
500	121	125	670	620	582	20-M24	645	733	1248	428	14	0.8 (MPa)	¥ 9275 (CNY)	¥ 13675 (CNY)	¥ 17475 (CNY)
600	125	129	780	725	682	20-M27	760	858		487					
700	140		895	840	794	24-M27									
800	140		1015	950	901	24-M30									

QWF Series (QWFZ673NM-10C, QWFZ673NM-10P, QWFZ673NM-10R)
Dimension

Material List

Material	QWFZ673NM-10C	QWFZ673NM-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QWFZ673NM-10R
Valve Body Material	CF8M
Gate Material	SS316L
Stem Material	SS304
Yoke Material	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	L1	D	D1	D2	N-Th	S1	S2	H1	H2	H3	D0	Plate Thickness	Measured Pressure	QWFZ673NM-10C	QWFZ673NM-10P	QWFZ673NM-10R
50	53	55	165	125	99	4-M16	170	258		142							
65	53	55	185	145	118	4-M16											
80	57	59	200	160	132	8-M16	200	288		154					¥ 1350 (CNY)	¥ 1620 (CNY)	¥ 1870 (CNY)
100	57	59	220	180	156	8-M16	220	308		173			6	1.6 (MPa)	¥ 1560 (CNY)	¥ 1860 (CNY)	¥ 2200 (CNY)
125	62	64	250	210	184	8-M16	245	333		186			6		¥ 1830 (CNY)	¥ 2300 (CNY)	¥ 2950 (CNY)
150	61	63	285	240	211	8-M20	267	355	571	204	260	160	8	1.6 (MPa)	¥ 2345 (CNY)	¥ 2900 (CNY)	¥ 3480 (CNY)
200	75	77	340	295	266	8-M20	318	406		246			8		¥ 2570 (CNY)	¥ 3475 (CNY)	¥ 4470 (CNY)
250	75	77	395	350	319	12-M20	370	458		275			10	1.5 (MPa)	¥ 3330 (CNY)	¥ 4870 (CNY)	¥ 6040 (CNY)
300	82	85	445	400	370	12-M20	425	513		315			10	1.1 (MPa)	¥ 4650 (CNY)	¥ 6195 (CNY)	¥ 8040 (CNY)
350	82	85	505	460	429	16-M20	485	573	1000	344	572	320	10	0.8 (MPa)	¥ 5850 (CNY)	¥ 8100 (CNY)	¥ 9460 (CNY)
400	93	94	565	515	480	16-M24	535	623	1091	384	621	320	12		¥ 6700 (CNY)	¥ 9120 (CNY)	¥ 11100 (CNY)
450	95	98	615	565	530	20-M24	595	683		407			12		¥ 7990 (CNY)	¥ 10540 (CNY)	¥ 13140 (CNY)
500	121	125	670	620	582	20-M24	645	733		428			14	0.8 (MPa)	¥ 11260 (CNY)	¥ 15560 (CNY)	¥ 19460 (CNY)
600	125	129	780	725	682	20-M27	760	858		487							
700	140		895	840	794	24-M27											
800	140		1015	950	901	24-M30											

QWF Series (QWFZ573NM-10C、QWFZ573NM-10P、QWFZ573NM-10R)

Dimension



Material List

Material	QWFZ573NM-10C	QWFZ573NM-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QWFZ573NM-10R
Valve Body Material	CF8M
Gate Material	SS316L
Stem Material	SS304
Yoke Material	SS304


unit:mm

Knife Gate Valve Quotation

DN	L	L1	D	D1	D2	N-Th	S1	S2	H1	H2	Plate Thickness	Measured Pressure	QWFZ573NM-10C	QWFZ573NM-10P	QWFZ573NM-10R
50	53	55	165	125	99	4-M16	170	258		142					
65	53	55	185	145	118	4-M16									
80	57	59	200	160	132	8-M16	200	288		154			¥ 1630 (CNY)	¥ 1900 (CNY)	¥ 2150 (CNY)
100	57	59	220	180	156	8-M16	220	308	476	173	6	1.6 (MPa)	¥ 1730 (CNY)	¥ 2050 (CNY)	¥ 2370 (CNY)
125	62	64	250	210	184	8-M16	245	333		186	6		¥ 1980 (CNY)	¥ 2450 (CNY)	¥ 3100 (CNY)
150	61	63	285	240	211	8-M20	267	355		204	8	1.6 (MPa)	¥ 2300 (CNY)	¥ 2850 (CNY)	¥ 3430 (CNY)
200	75	77	340	295	266	8-M20	318	406	666	246	8		¥ 2500 (CNY)	¥ 3400 (CNY)	¥ 4400 (CNY)
250	75	77	395	350	319	12-M20	370	458		275	10	1.5 (MPa)	¥ 3000 (CNY)	¥ 4550 (CNY)	¥ 5710 (CNY)
300	82	85	445	400	370	12-M20	425	513	861	315	10	1.1 (MPa)	¥ 4260 (CNY)	¥ 5805 (CNY)	¥ 7650 (CNY)
350	82	85	505	460	429	16-M20	485	573	964	344	10	0.8 (MPa)	¥ 5000 (CNY)	¥ 7250 (CNY)	¥ 8610 (CNY)
400	93	94	565	515	480	16-M24	535	623	1058	384	12		¥ 5880 (CNY)	¥ 8300 (CNY)	¥ 10300 (CNY)
450	95	98	615	565	530	20-M24	595	683		407	12		¥ 7050 (CNY)	¥ 9650 (CNY)	¥ 12200 (CNY)
500	121	125	670	620	582	20-M24	645	733	1248	428	14	0.8 (MPa)	¥ 8100 (CNY)	¥ 12500 (CNY)	¥ 16300 (CNY)
600	125	129	780	725	682	20-M27	760	858		487					
700	140		895	840	794	24-M27									
800	140		1015	950	901	24-M30									

QWF Series (QWFZ273NM-10C, QWFZ273NM-10P, QWFZ273NM-10R)

Dimension



Material List

Material	QWFZ273NM-10C	QWFZ273NM-10P
Valve Body Material	WCB	CF8
Gate Material	SS304	SS304
Stem Material	2Cr13	SS304
Yoke Material	Q235	SS304

Material	QWFZ273NM-10R
Valve Body Material	CF8M
Gate Material	SS316L
Stem Material	SS304
Yoke Material	SS304

unit:mm

Knife Gate Valve Quotation

DN	L	L1	D	D1	D2	N-Th	S1	S2	H1	H2	H3	D0	Plate Thickness	Measured Pressure	QWFZ273NM-10C	QWFZ273NM-10P	QWFZ273NM-10R
50	53	55	165	125	99	4-M16	170	258		142							
65	53	55	185	145	118	4-M16											
80	57	59	200	160	132	8-M16	200	288		154					¥ 1600 (CNY)	¥ 1870 (CNY)	¥ 2120 (CNY)
100	57	59	220	180	156	8-M16	220	308		173			6	1.6 (MPa)	¥ 1700 (CNY)	¥ 1570 (CNY)	¥ 1890 (CNY)
125	62	64	250	210	184	8-M16	245	333	468	186	190	50	6		¥ 1950 (CNY)	¥ 2420 (CNY)	¥ 3070 (CNY)
150	61	63	285	240	211	8-M20	267	355	514	204	220	50	8	1.6 (MPa)	¥ 2330 (CNY)	¥ 2880 (CNY)	¥ 3460 (CNY)
200	75	77	340	295	266	8-M20	318	406	595	246	280	50	8		¥ 2550 (CNY)	¥ 3450 (CNY)	¥ 4450 (CNY)
250	75	77	395	350	319	12-M20	370	458		275			10	1.5 (MPa)	¥ 3100 (CNY)	¥ 4650 (CNY)	¥ 5810 (CNY)
300	82	85	445	400	370	12-M20	425	513		315			10	1.1 (MPa)	¥ 3910 (CNY)	¥ 5455 (CNY)	¥ 7300 (CNY)
350	82	85	505	460	429	16-M20	485	573		344			10	0.8 (MPa)	¥ 5600 (CNY)	¥ 7850 (CNY)	¥ 9210 (CNY)
400	93	94	565	515	480	16-M24	535	623		384			12		¥ 6580 (CNY)	¥ 9000 (CNY)	¥ 11000 (CNY)
450	95	98	615	565	530	20-M24	595	683		407			12		¥ 7450 (CNY)	¥ 10050 (CNY)	¥ 12600 (CNY)
500	121	125	670	620	582	20-M24	645	733	1175	428	637	80	14	0.8 (MPa)	¥ 8600 (CNY)	¥ 13000 (CNY)	¥ 16800 (CNY)
600	125	129	780	725	682	20-M27	760	858	1416	487	785	100					
700	140		895	840	794	24-M27											
800	140		1015	950	901	24-M30											



A-excellent B-good C-ordinary X-bad

name	natural rubber	Styrene Butadiene	Nitrile Butadiene Rubber	Ethylene-Propylene-Diene Monomer	Silica	Fluororubber	Polyurethane
code	NR	SBR	NBR	EPDM	Si	FKM	PU
min °C	-75	-55	-40	-55	-110	-30	-30
max °C	70	70	100	125	225	250	100
hard(shore A)	30~90	40~90	40~90	40~90	40~80	55~90	50~80
tensile(kgf/cm ²)max	35	25	25	20	15	20	20
mineral oil	X	X	A	X	B	A	A
sulfuric acid	C	C	C	A	X	A	C
toluene	X	X	X	X	X	A	A
alcohol	B	B	A	A	X	A	X
Ether	X	X	C	X	X	X	C

CHISUN VALVE CO.,LTD.

Address: No.8 Xingyu Road Airport Industrial Zone,
Longwan District, Wenzhou, China

Tel: +86-577-86613200 E-mail: qs@chisun.cn

Web: www.chisunvalve.com

